




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			DATE	OWN	APVD
GP	00	P	LTR	DESCRIPTION			
		E		REVISED PER ECO-14-009463	02JUL2014	AP	SB



- ① NYLON OR POLYESTER, UL 94V-0 RATED, COLOR: SEE TABLE.
- ② RECOMMENDED WIRE: 28 AWG OR 30 AWG SOLID OR 7 STRAND. SEE TABLE FOR INSULATION DIA. WIRE MUST BE APPROVED BY AMP INC.
- ③ TWO COVERS REQUIRED PER CONNECTOR ASSEMBLY.
- ④ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

	0.74-0.79	[.029-.031]	GRAY	2	62.23	[2.450]	63.86	[2.514]	71.50	[2.815]	100	1-750877-9	
	0.74-0.79	[.029-.031]	GRAY	2	41.91	[1.650]	43.54	[1.714]	51.18	[2.015]	68	1-750877-7	
	0.74-0.79	[.029-.031]	GRAY	2	30.48	[1.200]	32.11	[1.264]	39.75	[1.565]	50	1-750877-5	
④ OBSOLETE	0.74-0.79	[.029-.031]	GRAY	2	24.13	[.950]	25.76	[1.014]	33.40	[1.315]	40	1-750877-4	
	0.74-0.79	[.029-.031]	GRAY	2	15.24	[.600]	16.87	[.664]	24.51	[.965]	26	1-750877-2	
④ OBSOLETE	0.81-0.91	[.032-.036]	BLACK	1	62.23	[2.450]	63.86	[2.514]	71.50	[2.815]	100	750877-9	
OBSOLETE	0.81-0.91	[.032-.036]	BLACK	1	49.53	[1.950]	51.156	[2.014]	58.801	[2.315]	80	750877-8	
	0.81-0.91	[.032-.036]	BLACK	1	41.91	[1.650]	43.54	[1.714]	51.18	[2.015]	68	750877-7	
	0.81-0.91	[.032-.036]	BLACK	1	30.48	[1.200]	32.11	[1.264]	39.75	[1.565]	50	750877-5	
④ OBSOLETE	0.81-0.91	[.032-.036]	BLACK	1	24.13	[.950]	25.76	[1.014]	33.40	[1.315]	40	750877-4	
	0.81-0.91	[.032-.036]	BLACK	1	15.24	[.600]	16.87	[.664]	24.51	[.965]	26	750877-2	
	WIRE OUTER DIA	②	COLOR	PART ID NO	C			B		A		NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 單位: 毫米 [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差	DWN B. MCMASTER 14JUNE04	TE Connectivity																																			
<table border="1"> <tr><td>0 PLC</td><td>± -</td></tr> <tr><td>1 PLC</td><td>± -</td></tr> <tr><td>2 PLC</td><td>± 0.13 [.005]</td></tr> <tr><td>3 PLC</td><td>± -</td></tr> <tr><td>4 PLC</td><td>± -</td></tr> </table>	0 PLC	± -		1 PLC	± -	2 PLC	± 0.13 [.005]	3 PLC	± -	4 PLC	± -	<table border="1"> <tr><td>FINISH</td><td>仕上</td></tr> <tr><td>WEIGHT</td><td>-</td></tr> </table>	FINISH	仕上	WEIGHT	-	<table border="1"> <tr><td>CHK</td><td>S. SHUEY</td><td>14JUNE04</td></tr> <tr><td>APVD</td><td>M. WALMSLEY</td><td>14JUNE04</td></tr> <tr><td>PRODUCT SPEC</td><td>製品規格</td><td></td></tr> <tr><td>APPLICATION SPEC</td><td>取付適用規格</td><td></td></tr> </table>	CHK	S. SHUEY	14JUNE04	APVD	M. WALMSLEY	14JUNE04	PRODUCT SPEC	製品規格		APPLICATION SPEC	取付適用規格		<table border="1"> <tr><td>NAME</td><td>名稱</td><td>COVER, TERMINATING, DISCRETE WIRE, AMPLIMITE</td></tr> <tr><td>SIZE</td><td>CAGE CODE</td><td>DRAWING NO</td></tr> <tr><td>A2</td><td>00779</td><td>G-750877</td></tr> </table>	NAME	名稱	COVER, TERMINATING, DISCRETE WIRE, AMPLIMITE	SIZE	CAGE CODE	DRAWING NO	A2	00779
0 PLC	± -																																					
1 PLC	± -																																					
2 PLC	± 0.13 [.005]																																					
3 PLC	± -																																					
4 PLC	± -																																					
FINISH	仕上																																					
WEIGHT	-																																					
CHK	S. SHUEY	14JUNE04																																				
APVD	M. WALMSLEY	14JUNE04																																				
PRODUCT SPEC	製品規格																																					
APPLICATION SPEC	取付適用規格																																					
NAME	名稱	COVER, TERMINATING, DISCRETE WIRE, AMPLIMITE																																				
SIZE	CAGE CODE	DRAWING NO																																				
A2	00779	G-750877																																				
MATERIAL 材料	①	CUSTOMER DRAWING																																				

RESTRICTED TO: -

SCALE 8:1 SHEET 1 OF 1 REV E

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)