





1. MATERIAL: HOUSING: GLASS FILED THERMO PLASTIC POLYESTER(94V-0), COLOR: BLACK  
 CONTACT: COPPER ALLOY  
 RETENTION LEG: PRE-TIN COPPER ALLOY

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
C2		REVISED	24JUL2017	T.K E.T
D		ADD PART NUMBER	07FEB2022	Y.O T.S

- 2. FINISH(ALL OVER): NICKEL PL. 1.27μmMIN
- 3. FINISH(CONTACT AREA): GOLD PL. 0.38μmMIN AFTER 2
- 4. FINISH(CONTACT TAIL): TIN PL. 2μmMIN AFTER 2
- 5. THE SHAPE, SIZE AND POSITION OF THE CHARACTER SHOW THE OUTLINE. THEY DON'T SHOW DETAILS.
- 6. THE KEYING ARRANGEMENT OF "Y" IS SYMMETRIC WITH "X".



RECOMMEND PC BOARD HOLE PATTERN : CONNECTOR MOUNT SIDE (NOT ACCUMULATE TOLERANCE)  
 PC BOARD THICKNESS :  $1.0 \sim 1.6 \pm 0.1$

AS SHOWN : 1-1827876-0 (20POS: X-KEY)  
 ONLY 4POS----SEE SHEET 2

POS	KEY	n	A	B	C	PART NO
20	Y	9	22.5	26.0	27.6	2-1827876-0
20	X	9	22.5	26.0	27.6	1-1827876-0
16	X	7	17.5	21.0	22.6	1-1827876-8
12	Y	5	12.5	16.0	17.6	2-1827876-6
12	X	5	12.5	16.0	17.6	1-1827876-6
10	X	4	10.0	13.5	15.1	1-1827876-5
8	Y	3	7.5	11.0	12.6	2-1827876-4
8	X	3	7.5	11.0	12.6	1-1827876-4
6	Y	2	5.0	8.5	10.1	2-1827876-3
6	X	2	5.0	8.5	10.1	1-1827876-3
4	Y	1	2.5	6.0	7.6	2-1827876-2
4	X	1	2.5	6.0	7.6	1-1827876-2

1-1827876-0  
 (20POS: X-KEY)


THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: $\pm 0.3, \pm 3^\circ$ 0-PLC $\pm$ 1-PLC $\pm 0.5$ 2-PLC $\pm 0.13$ 3-PLC $\pm 0.013$ 4-PLC $\pm 0.0001$ ANGLES $\pm$ FINISH	DWN T. KUDO 13JAN2005 CHK D. MITSUGI 14MAR2005 APVD D. MITSUGI 14MAR2005	TE Connectivity	
MATERIAL		PRODUCT SPEC 108-78268 APPLICATION SPEC 114-5377 WEIGHT -	NAME DYNAMIC D1200D 2.5mmPITCH HDR ASSY (H-TYPE) 4-20POS SIZE A2 CAGE CODE 00779 DRAWING NO C-1827876 RESTRICTED TO SCALE 6:1 SHEET 1 OF 4 REV D	


CUSTOMER DRAWING

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
J	-	P	LTR	DATE	DWN	APVD
DESCRIPTION						







1-1827876-2  
(4POS: X-KEY)




RECOMMEND PC BOARD HOLE PATTERN : CONNECTOR MOUNT SIDE (NOT ACCUMULATE TOLERANCE)  
 PC BOARD THICKNESS : 1.0~1.6±0.1

ONLY 4POS




THIS DRAWING IS A CONTROLLED DOCUMENT		DWN T. KUDO 13 JAN 2005	TE Connectivity	
DIMENSIONS: mm		CHK D. MITSUGI 14 MAR 2005		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. MITSUGI 14 MAR 2005	NAME DYNAMIC D1200D 2.5mmPITCH HDR ASSY (H-TYPE) 4-20POS	
1 PLC ±0.5		PRODUCT SPEC 108-78268	SIZE A200779	
2 PLC ±0.13		APPLICATION SPEC 114-5377	CAGE CODE C-1827876	
3 PLC ±0.013		WEIGHT -	DRAWING NO -	
4 PLC ±0.0001		CUSTOMER DRAWING	RESTRICTED TO	
ANGLES ±		SCALE 6:1	SHEET 2 OF 4	
FINISH		REV D		


LOC		DIST		REVISIONS			
J	-	P	LTR	DESCRIPTION	DATE	DWN	APVD









1-1827876-3  
(6POS:X-KEY)



1-1827876-4  
(8POS:X-KEY)




1-1827876-6  
(12POS:X-KEY)




THIS DRAWING IS A CONTROLLED DOCUMENT		DWN T. KUDO	16MAR2005	<b>STE</b> TE Connectivity
DIMENSIONS: mm		CHK D. MITSUGI	14MAR2005	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. MITSUGI	14MAR2005	
1 PLC ±		PRODUCT SPEC	108-78268	
2 PLC ±		APPLICATION SPEC	114-5377	NAME DYNAMIC D1200D 2.5mmPITCH HDR ASSY (H-TYPE) 4-20POS
3 PLC ±		MATERIAL	-	SIZE A200779
4 PLC ±		FINISH	-	CAGE CODE C-1827876
ANGLES ±		CUSTOMER DRAWING		DRAWING NO A200779
FINISH ±		SCALE 6:1		RESTRICTED TO
		SHEET 3 OF 4		REV D

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 ALL RIGHTS RESERVED.









LOC		DIST		REVISIONS			
J	-	P	LTR	DESCRIPTION	DATE	DWN	APVD



1-1827876-5  
(10POS:X-KEY)



1-1827876-8  
(16POS:X-KEY)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. KUDO 13JAN2005	<b>STE</b> TE Connectivity	
DIMENSIONS: mm		CHK D. MITSUGI 14MAR2005		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. MITSUGI 14MAR2005	NAME DYNAMIC D1200D 2.5mmPITCH HDR ASSY (H-TYPE) 4-20POS	
1. PLC ±		PRODUCT SPEC 108-78268	SIZE A2	
2. PLC ±0.5		APPLICATION SPEC 114-5377	CAGE CODE 00779	DRAWING NO C-1827876
3. PLC ±0.13		WEIGHT -	RESTRICTED TO	
4. PLC ±0.013		CUSTOMER DRAWING	SCALE 6:1	SHEET 4 OF 4
ANGLES ±			REV D	
FINISH				

SEE SHEET 1 OF 4

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)