






REVISIONS				
P.	LTN	DESCRIPTION	DATE	APVD
A		RELEASED PER ECO-13-013886	29AUG2013	RGV RN
A1		REVISED PER ECO-14-013158	08SEP2014	DD RN
B		REVISED PER ECO-15-003128	27MAR2015	JM RN






- MATING PART: TE P/N 2138839-X.
- DESIGNED FOR CORRUGATED TUBE NW26.
- TPA SHOWN IN PRE-STAGED (AS SHIPPED) POSITION.
- KEY MARKING IN APPROXIMATE AREA SHOWN.
- ASSEMBLY P/N AND DATE CODE MARKED IN APPROXIMATE AREA SHOWN. SEE TABLE FOR P/N TO KEY RELATIONSHIP.
- SEE TABLE FOR CAP HOUSING COLOR TO KEY RELATIONSHIP.
- FOR PANEL MOUNT USE MOUNTING CLIP, TE P/N 2138852-X. SEE DRAWING 2138852 FOR RECOMMENDED PANEL THICKNESSES.



(4) SIZE 12: 2.82 MIN, 4.09 MAX (24) SIZE 16: 1.68 MIN, 2.77 MAX	28 POSITIONS TOTAL (4) SIZE 12 (24) SIZE 16	KEY B	BROWN	2138846-2
		KEY A	BLACK	2138846-1
WIRE DIA.	DESCRIPTION	KEY 4	HSG. COLOR 6	PART NO 5



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL 25JAN2012	
DIMENSIONS: mm		CHK R. NARANG 30JAN2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. KLEIN 30JAN2012	NAME
0 PLC ±	1 PLC ±	PRODUCT SPEC	CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER
2 PLC ±	3 PLC ±	108-32036	
4 PLC ±	ANGLES ±	APPLICATION SPEC	
MATERIAL	FINISH	114-32117	SIZE CAGE CODE DRAWING NO RESTRICTED TO
		WEIGHT	A100779C=2138846
		CUSTOMER DRAWING	SCALE 2:1 SHEET 1 OF 4 REV B

REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APP'D.
-	-	SEE SHEET 1	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: R. VESTAL 25JAN2012	TE Connectivity
DIMENSIONS: mm		CHK: R. NARANG 30JAN2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APP'D: D. KLEIN 30JAN2012	NAME: CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER
0 PLC	±	PRODUCT SPEC	SIZE: A1
1 PLC	±	108-32036	CAGE CODE: 2138846
2 PLC	±	APPLICATION SPEC	RESTRICTED TO: -
3 PLC	±	114-32117	SCALE: 2:1
4 PLC	±	WEIGHT: -	SHEET: 2 OF 4
ANGLES	±	CUSTOMER DRAWING	REV: B
FINISH	#1		

REVISIONS				
P.	LTN	DESCRIPTION	DATE	OWN APVD
-	-	SEE SHEET 1	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL 25JAN2012	TE Connectivity
DIMENSIONS: mm		CHK R. NARANG 30JAN2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. KLEIN 30JAN2012	NAME CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER
0 PLC ±	1 PLC ±	PRODUCT SPEC 108-32036	SIZE CAGE CODE DRAWING NO. RESTRICTED TO
2 PLC ±	3 PLC ±	APPLICATION SPEC 114-32117	A100779C=2138846
4 PLC ±	ANGLES ±	WEIGHT	SCALE 2:1 SHEET 3 OF 4 REV B
MATERIAL	FINISH	CUSTOMER DRAWING	

REVISIONS				
P.	LTN	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



SCALE 3:1
 2138846-1, KEY A SHOWN



SCALE 3:1
 2138846-2, KEY B SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 25JAN2012 CHK R. NARANG 30JAN2012 APVD D. KLEIN 30JAN2012	
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH #1	NAME CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER	
MATERIAL		PRODUCT SPEC 108-32036 APPLICATION SPEC 114-32117 WEIGHT CUSTOMER DRAWING	SIZE CAGE CODE DRAWING NO A100779C=2138846 RESTRICTED TO SCALE 2:1 SHEET 4 OF 4 REV B

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)