


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION .19
© COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

LOC		DIST		ZONE		LTR		REVISIONS		DATE	APPD
AF	50	P	F			A1		ADDED ALUMINIUM WIRE RANGE	04NOV19	MB/PKS	

IDENTIFICATION NUMBER 10 FOR
MAGNET WIRE RANGE



- △ SLOT TERMINATES EITHER SINGLE OR DOUBLE MAGNET WIRES OF THE SAME TYPE AND SIZE, COPPER RANGE 0.36-0.57mm [#27-#23 AWG] ALUMINIUM RANGE 0.51-0.64mm [#24-#22 AWG] ALUMINIUM WIRE RANGE APPLIES FOR POST TIN PLATED PARTS ONLY
- △ 0.00508 [.000200] MIN TIN PLATE IN LOCALIZED PLATE AREA, REMAINDER TO BE 0.002032 [.000080] MIN TIN.



63880-1
PART NO

DO NOT SCALE PRINT. UNLESS SPECIFIED		DR 11/OCT/95 MICHAEL S. FEHER		STE TE Connectivity	
DIMENSIONS IN mm [INCHES]		CHK 16/OCT/95 RICHARD GRZYBOWSKI			
TOLERANCES ON :		APPD 18/OCT/95 NELSON E. NEFF		NAME	
2 PLC DEC ± 0.15 [.006]		APPD 18/OCT/95 TERRY L. SHUTTER		PIN, LOOSE PIECE, 1.22 [.048] DIA, LEFT HAND, MAG-MATE™	
3 PLC DEC ± -		PRODUCT SPEC		SIZE	
ANGLES ± -		108-2012		CAGE CODE	
MATERIAL		APPLICATION SPEC		DRAWING NO	
4M PRE-MILLED BRASS		114-2046		C 00779 C= 63880	
FINISH		WEIGHT -		SCALE	
△				5:1	
				SHEET	
				10F 1	

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)