



Downloaded From Oneyac.com

4805 (3/11)





	2					1			
	DIST	REVISIONS							
АD	00	Р	LTR		DESCRIPTION		DATE	DWN	APVD
			С	REVISED PER	ECO-13-002771		25FEB2013	КН	RP
			D	REVISED PER	ECO-19-009248		08JUL2019	ΑP	SY

HOUSING AND CHICKLET: LCP, UL 94V-0, COLOR: BLACK

CONTACT AREA FINISH CONFORMS TO THE REQUIREMENTS

OF TE PRODUCT SPECIFICATION 108-2303; BASED ON

LEVEL III, APPLICATIONS IN CONTROLLED

COMPLIANT PIN AREA- 0.5µm MIN MATTE TIN OVER 1.27µm MIN NICKEL. SHIELD 1.27µm MIN NICKEL.

3 CONNECTOR MARKED WITH PART NUMBER, DATE CODE, AND STANDARD IN

A DIMENSION APPLIES TO CENTERLINE OF THRU HOLE.

∠ → DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

6. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE I, NOVERMBER 1995. REFERENCE APPLICATION SPEC 114-13202 FOR RECOMMENDED PLATED THRU

ALL GROUNDS IN ODD NUMBERED COLUMNS ARE COMMONED ALL GROUNDS IN EVEN NUMBERED COLUMNS, EXCEPT FOR ROW A ARE COMMONED.

A SHOWN LOGO OR OTHER TE OWNED LOGOS IN APPROXIAMATE AREA

В

А

|934353-|

PART NUMBER NN I 6AUG2007 S.J.MAGARO HK I 6AUG2007 THIS DRAWING IS A CONTROLLED DOCUMENT. **STE** TE Connectivity <u>W. DAVIS</u> APVD I 20CT2007 R. PATTERSON PRODUCT SPEC TOLERANCES UNLESS OTHERWISE SPECIFIED: RIGHT ANGLE HEADER ASSEMBLY, OPEN ENDED, 4 PAIR, 8 COLUMN, Z-PACK TinMan ±-PPLICATION SPEC IZE CAGE CODE DRAWING NO RESTRICTED T 100779 C -1934353 $\frac{1}{2}$ SCALE 6:1 SHEET OF REV D STOMER DRAWING

单击下面可查看定价,库存,交付和生命周期等信息

>>TE Connectivity(泰科)