





LOC	DIST	REVISIONS			
GP	00	REV	DATE	BY	APPV
		A	REVISED PER ECO-12-018201	11OCT2012	KH MH



- MATERIAL:**
 HOUSING: THERMOPLASTIC, FLAMMABILITY RATING UL94-V0
 CONTACT: COPPER ALLOY
- CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION, 108-2375; BASED ON TELCORDIA GR-1217-CORE FOR SYSTEM QUALITY LEVEL III, APPLICATIONS IN CONTROLLED ENVIRONMENTS (CENTRAL OFFICE). SEE TE PRODUCT SPECIFICATION 108-2375 FOR TEST SEQUENCES.
 - ROWS GA THRU GJ (SHOWN DARKENED) ARE TYPICALLY USED AS GROUNDS.
 - SPECIFIED POSITIONAL TOLERANCE DEFINES HOLE TO HOLE LOCATION WITHIN HOLE PATTERN. POSITIONAL TOLERANCE OF HOLE PATTERN TO FIDUCIAL MARKS OR PCB DATUMS SHALL BE DEFINED BY CUSTOMER.
 - AREA RESERVED FOR TE CONNECTIVITY LOGO.
 - AREA RESERVED FOR PART NUMBER (X-XXXXXXX-X) AND DATE CODE (YYWW).
 - USE CENTERLINES INDICATED ON PCB HOLE PATTERN TO ESTABLISH ALIGNMENT BETWEEN HEADER AND RECEPTACLE BOARDS.
 - PLATED THROUGH HOLE REQUIREMENTS:
 HOLE SIZE PRIOR TO PLATING = $\varnothing 0.420 \pm 0.013$
 COPPER PLATING THICKNESS = 0.038 ± 0.013
 CALCULATED FINISHED HOLE SIZE = $\varnothing 0.344 \pm 0.039$
 THESE DIMENSIONS APPLY TO THE TOP 1.25mm OF THE PCB THICKNESS FROM THE CONNECTOR MOUNTING SIDE.


SIZE 3 HOUSING *
120 DIFFERENTIAL PAIRS
384 TOTAL SIGNAL CONTACTS

* SIZE 1 AND SIZE 2 ARE ALSO AVAILABLE



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: D. RINGLER 27FEB2009	5-2110401-1
DIMENSIONS: mm		CHK: D. TROUT 27FEB2009	Sn/Pb 2110401-1
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: J. FEEDER 27FEB2009	TOOLED CONTACT TAIL PLATING PART NUMBER
0 PLC ±	1 PLC ±0.13	NAME: RECEPTACLE ASSEMBLY	
2 PLC ±0.13	3 PLC ±0.13	PRODUCT SPEC: 108-2375	
4 PLC ±	ANGLES ±1	APPLICATION SPEC: STRADA MESA MEZZANINE CONNECTOR	
MATERIAL:	FINISH:	SIZE: A1	RESTRICTED TO
CUSTOMER DRAWING		CAGE CODE: 114-13249	DRAWING NO: 2110401
		WEIGHT:	SCALE: 6:1
		SHEET 1 OF 3	
		REV A	



LOC	DIST	REVISIONS					
GP	00	P	LYR	DESCRIPTION	DATE	OWN	APVD
		-		SEE SHEET 1			




A1 CORNER INDICATORS.

PCB LAYOUT AND PIN IDENTIFICATION 
 SHOWN FROM CONNECTOR SIDE
 SCALE 10:1

MATED CONNECTOR OUTLINE
 SEE SHEET 3 FOR LOCATION TO HOLES

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN D. RINGLER 27FEB2009	 TE Connectivity
DIMENSIONS:		CHK D. TROUT 27FEB2009	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. FEEDER 27FEB2009	NAME RECEPTACLE ASSEMBLY
	0 PLC ± 1 PLC ± 2 PLC ±0.13 3 PLC ±0.013 4 PLC ± ANGLES ±1	PRODUCT SPEC 108-2375	120/384 SIGNAL
MATERIAL	FINISH	APPLICATION SPEC 114-13249	STRADA MESA MEZZANINE CONNECTOR
		WEIGHT	SIZE CAGE CODE DRAWING NO RESTRICTED TO A100779C=2110401
		CUSTOMER DRAWING	SCALE 6:1 SHEET 2 OF 3 REV A

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
-	-	SEE SHEET 1	-	-	-



PCB HOLE PATTERN
 SHOWN FROM CONNECTOR SIDE
 SCALE 7:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN D. RINGLER 27FEB2009	TE Connectivity
DIMENSIONS:		CHK D. TROUT 27FEB2009	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. FEEDER 27FEB2009	NAME RECEPTACLE ASSEMBLY
mm	0 PLC ±	PRODUCT SPEC	120/384 SIGNAL
	2 PLC ±0.13	APPLICATION SPEC	STRADA MESA MEZZANINE CONNECTOR
	3 PLC ±0.013	SIZE CAGE CODE DRAWING NO	RESTRICTED TO
	4 PLC ±	114-13249	A100779C=2110401
	ANGLES ±1	WEIGHT	-
MATERIAL	FINISH	CUSTOMER DRAWING	SCALE 6:1 SHEET 3 OF 3 REV A

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)