





LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		REV PER EC 0511-0201-04	23JUN2005	LV	SF
B		REV PER ECO-07-004583	02MAR2007	RG	JW



- 1 HOUSING: PCT POLYESTER, BLACK, UL 94V-0. TERMINALS: 0.305 THICK PHOS BRONZE PLATED WITH 1.27µm MINIMUM THICK HARD GOLD IN LOCALIZED AREA AND 2.03µm MINIMUM THICK MATTE TIN IN SOLDER AREA AND 1.27µm MINIMUM THICK NICKEL UNDERPLATE. SHIELD: 0.196 THICK COPPER ALLOY PLATED WITH 1.27µm MINIMUM NICKEL AND 2.03µm MINIMUM HOT TIN DIP ON PCB GROUND TABS.
- 2 JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F
- 3 PCB HOLES ONLY REQUIRED FOR 6339168-1
- 4 USE #30 DRILL BIT OR 3.25mm DRILL BIT WHEN PRODUCING THESE PCB HOLES
- 5. RECOMMENDED APPLICATIONS: FAST ETHERNET, 10 BASE-T ETHERNET, AND 10/100 BASE-T ETHERNET (CAT 5 TWO PAIR 1/2, 3/6)




SCALE 2:1


NONE	6339168-2
3	6339168-1
REAR PCB TABS	PART NO.

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN L. VARELA 23JUN2005		tyco Tyco Electronics	
mm		0 PLC ±.25		CHK J. WESTMAN 23JUN2005		Harrisburg, PA 17105-3608	
1 PLC ±.25		1 PLC ±.25		APVD S. FLICKINGER 23JUN2005		NAME	
2 PLC ±.25		2 PLC ±.25		PRODUCT SPEC		ASSEMBLY, STACKED JACK, 2X4,	
3 PLC ±.25		3 PLC ±.25		APPLICATION SPEC		8 POSITION, SHIELDED,	
4 PLC ±.25		4 PLC ±.25		114-2048		WAVE PANEL GROUND	
ANGLES ±.5		FINISH		WEIGHT		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
MATERIAL		FINISH		CUSTOMER DRAWING		A 100779 C=6339168	
						SCALE 4:1 SHEET 1 OF 2 REV B	

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



PC BOARD LAYOUT VIEWED FROM COMPONENT SIDE OF BOARD
 SCALE 4:1



SUGGESTED PANEL CUTOUT DIMENSIONS
 SCALE 3:1

<small>THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.</small>		DWN: L. VARELA - 23 JUN 2005 CHK: J. WESTMAN - 23 JUN 2005 APVD: S. FLICKINGER - 23 JUN 2005	tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.25 1 PLC ±.25 2 PLC ±.25 3 PLC ±.25 4 PLC ±.25 ANGLES ±.5 FINISH	NAME: ASSEMBLY, STACKED JACK, 2X4, 8 POSITION, SHIELDED, WAVE PANEL GROUND PRODUCT SPEC: APPLICATION SPEC: WEIGHT: CUSTOMER DRAWING	SIZE: A100779 CAGE CODE: C=6339168 SCALE: 4:1 SHEET: 2 OF 2 REV: B

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)