

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC -

DIST -

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	FORMAL RELEASE	30JULY2015	A.Q	D.Z
	A1	ECR-15-014139	30JULY2015	A.Q	D.Z
	A2	ECR-20-100595	22OCT2020	SC	D.Z

TABLE 1

6.00	13.10	11.70	6.00 ± 0.05	D	2-2232875-4	2-2232876-4
6.00	13.10	11.70		C	2-2232875-3	2-2232876-3
6.00	13.10	11.70		B	2-2232875-2	2-2232876-2
6.00	13.10	11.70		A	2-2232875-1	2-2232876-1
12.00	19.10	17.70	12.00 ± 0.05	D	3-2232875-4	3-2232876-4
12.00	19.10	17.70		C	3-2232875-3	3-2232876-3
12.00	19.10	17.70		B	3-2232875-2	3-2232876-2
12.00	19.10	17.70		A	3-2232875-1	3-2232876-1
DIM.B	DIM.C	DIM.D	DIM.E	KEYING TYPE	PLG HSG P/N	P/N
					MATING PARTS	

TABLE 2

PROCESS METHOD	ØA
PUNCH	1.25 ± 0.10
DRILL	1.4 ± 0.10

NOTES:



1 RECOMMENDED PCB LAYOUT THICKNESS: 1.60 ± 0.15 MILIMETRE.

2 KEYING FEATURE SEE TABLE 3 & TABLE 4 IN SHEET 2.

3 ØA: SEE TABLE 2.

4 P/N LIST: SEE TABLE 1;
Dim.B & Dim.C & Dim.D & DIM.E SEE TABLE 1.

3-2232876-1 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	30JUL2015	 TE Connectivity	
DIMENSIONS: mm		CHK	30JUL2015		
		APVD	30JUL2015		
 TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±0.13 3 PLC ±- 4 PLC ±- ANGLES ±1 FINISH -		NAME	GRACE INERTIA CONNECTOR 6.0MM PITCH HEADER ASSEMBLY FOR 2POS. AND 3POS.		
		MATERIAL	-	PRODUCT SPEC	108-106193
		APPLICATION SPEC	114-5292	CAGE CODE	-
		WEIGHT	-	DRAWING NO	©-2232876
		CUSTOMER DRAWING		RESTRICTED TO	-
		SCALE	4:1	SHEET	1 OF 2
		REV	A2		

1470-19 (3/11)

Downloaded From Onevac.com

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-

TABLE 3 3 POSITION AS SHOWN






TABLE 4 2 POSITION AS SHOWN



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

- 0 PLC ±-
- 1 PLC ±-
- 2 PLC ±0.13
- 3 PLC ±-
- 4 PLC ±-
- ANGLES ±1

MATERIAL -

FINISH -

DWN 30 JUL 2015

ANNIE QIAN

CHK 30 JUL 2015

ANNIE QIAN

APVD 30 JUL 2015

DANIEL ZHANG

PRODUCT SPEC

108-106193

APPLICATION SPEC

114-5292

WEIGHT -

CUSTOMER DRAWING



TE Connectivity

NAME
GRACE INERTIA CONNECTOR
6.0MM PITCH HEADER ASSEMBLY
FOR 2POS. AND 3POS.

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 - C-2232876

SCALE N/A SHEET 2 OF 2 REV A2

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)