

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2007

© COPYRIGHT 2007 BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	REVISED PER ECO-17-009774	06SEP2017	M.G.	M.G.
	B2	REVISED PER ECO-19-004916	29MAR2019	AP	VN

PRE-ASSEMBLED SECONDARY LOCK

SECTION C-C

Dimensions for SECTION C-C:

- Top width: 10.6 ± 0.2
- Left height: $13.8^{+0.3}$
- Inner left height: 10.7 ± 0.3
- Bottom left width: 9.5
- Bottom middle width: 30.0
- Bottom total width: 42.0
- Right top width: 3.0 ± 0.2
- Right middle diameter: $\phi 5.5 \pm 0.2$
- Right middle height: 7.4 ± 0.2
- Right bottom height: 9.3 ± 0.2

PART SECTION B-B

Dimensions for PART SECTION B-B:

- Top width: 8.10 ± 0.15
- Bottom width: $5.6^{+0.3}_{-0.2}$
- Right height: $0.80^{+0.15}_{-0.05}$

Dimensions for front view:

- Total height: 19.8
- Inner height: $15.6^{+0.3}$
- Right side height: 13.4 ± 0.2
- Bottom right height: 15.3 ± 0.2

Callouts: 1 (TE Connectivity Trade Mark), 2 (Date Code)

Dimensions for top view:

- Left height: 6.0 ± 0.2
- Right height: 3.0 ± 0.2

HSG: WHITE SEC. LOCK: WHITE	PA66-GF UL94-V2 ACC. TO IEC 60335-1	A	1745099-1
HSG: GREEN SEC. LOCK: RED	PA66-GF	B	282104-3
HSG: GRAY SEC. LOCK: RED	PA66-GF	B	282104-2
HSG: BLACK SEC. LOCK: RED	PA66-GF	B	282104-1
FINISH/COLOR	MATERIAL	REV	P/N

1 TE CONNECTIVITY TRADE MARK,
(IN ALTERNATIVE: "AMP" LOGO, OR "Tyco Electronics" LOGO)

2 DATE CODE (OPTIONAL IN OLD MOULDS)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN C. BERTINI 02-1990

CHK A. BRUNI 02-1990

APVD -

PRODUCT SPEC

108-20090

APPLICATION SPEC

412-20000

WEIGHT

3.72g

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	± 0.3
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	± 2°

MATERIAL

SEE TABLE

FINISH

SEE TABLE

Customer Drawing

NAME

AMP SUPERSEAL 1.5 SRS.
2 POSITIONS TAB ASS'Y

SIZE

A300779

CAGE CODE

C-282104

DRAWING NO

RESTRICTED TO

-

SCALE 3:1

SHEET 1 OF 1

REV B2

1470-19 (3/13)

Downloaded From Onevac.com

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)