

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

LOC

DIST

REVISIONS

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

F 00

P

LTR

DESCRIPTION

DATE

DWN

APVD

B3

REVISED PER ECO-20-004274

01APR2020

SM

DR

1.257±1.054  
[0.0495±0.0415]

34.290+1.422-0.635  
[1.350+0.056-0.025]

USE WITH CABLE EXT DIA 11.000 mm [.435 IN] MAX  
(POUR CABLE ØEXT 11.000 mm [.435 IN] MAX)

Ø13.700 MAX  
[.539]

Ø9.400 MIN  
[.370]

10.998 MIN  
[.433]

90°+10°  
0

1.778±0.051  
[.070±0.002]

3

BRAZED SEAM

Ø8.331 [.328]  
FOR M8 [5/16] DIA STUD  
(POUR M8 [5/16] DIA  
STUD)

5

15.875  
[.625]

1. TOOLS:

- TERMINAL: DIE: NEST PN 1-1490413-7 + INDENTER PN 1490414-2 FOR TOOL OR HEAD NUMBER, SEE INSTRUCTION SHEET 408-8691
- INSULATION SLEEVE: CRIMPING HEAD PN 69099, DIE PN 69214-1 (INSTRUCTION SHEET 408-1826) (OUTILLAGE: COSSE: MATRICE: EMPREINTE PN 1-1490413-7 + PN 1490414-2 POUR LES REFERENCES D'OUTILS ET DE TETE DE SERTISSAGE, VOIR INSTRUCTION SHEET 408-8691
- MANCHON ISOLANT: TETE DE SERTISSAGE PN 69099, MATRICE 69214-1 (INSTRUCTION SHEET 408-1826))

2. WIRE DIMENSIONS: 34,500 mm<sup>2</sup> [1.358 in<sup>2</sup>], INSULATION DIAMETER 11.000 mm (DIMENSION DU FIL: 34,500 mm<sup>2</sup> [1.358 in<sup>2</sup>], DIAMETRE ISOLANT 11.000 mm)

3 PERMISSIBLE TONGUE DISTORTION: 2.700 mm [.106 in] MAX (DEFORMATION DE LA PLAGE AUTORISEE: 2.700 mm [.106 in] MAX HORS TOUT)

4 MATERIALS AND FINISH:  
- TERMINAL: COPPER, PER ASTM B152 FINISH: NICKEL PLATE 0.00762[.000300] MIN THK PER SAE AMS QQ-N-290  
- INSULATION SLEEVE: PTFE (MATIERES ET FINITION:  
- COSSE: CUIVRE, FINITION: NICKEL  
- MANCHON: PTFE)

5 STAMP: AMP 2W\*60-75 APPROX AS SHOWN

SLEEVE ASSEMBLY  
(MANCHON ASSEMBLE)TERMINAL  
(COSSE)

SCALE 1:1

133043-1

PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JJ. DESPRETZ 28AUG2003	TE Connectivity	
DIMENSIONS: mm/ INCHES		CHK G-ROBERT		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD Y-PETRONIN	NAME KIT, POST INSULATED, STRATO-THERM, WIRE SIZE: 2 AWG, 90 BEND TERMINAL	
0 PLC ±-	1 PLC ±-	PRODUCT SPEC	-	
2 PLC ±-	3 PLC ±0.127[.005]	APPLICATION SPEC	-	
4 PLC ±-	ANGLES ±-	WEIGHT	-	
MATERIAL	FINISH	CUSTOMER DRAWING	SIZE A3	CAGE CODE 00779
4	4	SCALE 2:1	DRAWING NO C-133043	RESTRICTED TO
			SHEET 1 OF 1	REV B3

1470-19 (3/11)

Downloaded From [Onevac.com](http://Onevac.com)

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)