






LOC DW	DIST /	REVISIONS		
P	LTR	DESCRIPTION	DATE	DWN APVD
	A2	REVISED (ECR-11-000007)	03JAN10	JC WK



SHOWN AS 2041183-6



RECOMMENDED P.C.B. LAYOUT  
 TOLERANCE: ±0.05 (COMPONENT VIEW)






- NOTE:
- MATERIAL:  
 HOUSING: LCP WITH 30% GF, UL 94V-0, NATURE COLOR.  
 CONTACTS: PHOSPHOR BRONZE. 0.15±0.05mm THICKNESS.  
 TABS: BRASS, 0.2±0.05mm THICKNESS.
  - FINISH:  
 CONTACTS: 5.08µm [200µ"] MIN. MATTE-TIN OVER  
 1.27µm [50µ"] MIN. NICKEL ON ENTIRE CONTACT.  
 TABS: 2.54µm [100µ"] MIN. MATTE-TIN OVER  
 1.27µm [50µ"] MIN. NICKEL PLATED.
  - REFLOW SOLDER CAPABLE TO 260°C PER TE TEST SPEC.  
 109-201, CONDITION B.
  - NO TE LOGO AND DATE CODE ON THE PRODUCT.
  - NO ACCUMULATE TOLERANCE.
  - LOW HALOGEN SPEC:  
 CHLORINE(Cl): 900ppm MAX.  
 BROMINE(Br): 900ppm MAX.
  - RECOMMEND MATING CONNECTOR PN:2041218-X.

0.04g	4.0	7.0	06	4-2041183-6
0.08g	8.8	11.8	12	1-2041183-2
0.06g	5.6	8.6	08	2041183-8
0.04g	4.0	7.0	06	2041183-6
0.03g	2.4	5.4	04	2041183-4
WEIGHT	DIMENSIONS		NO. OF CONTACTS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN F. YANG 24NOV2009	Tyco Electronics Corporation Taipei, Taiwan													
DIMENSIONS: MM		CHK S. CHIEN 24NOV2009	NAME													
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD W. KODAMA 24NOV2009	WIRE TO BOARD CONNECTOR, P=0.8mm, R/A, SMT TYPE													
<table border="1"> <tr> <td>0 PLC</td> <td>± -</td> </tr> <tr> <td>1 PLC</td> <td>± 0.3</td> </tr> <tr> <td>2 PLC</td> <td>± 0.2</td> </tr> <tr> <td>3 PLC</td> <td>± 0.15</td> </tr> <tr> <td>4 PLC</td> <td>± -</td> </tr> <tr> <td>ANGLES</td> <td>± 3°</td> </tr> </table>		0 PLC	± -	1 PLC	± 0.3	2 PLC	± 0.2	3 PLC	± 0.15	4 PLC	± -	ANGLES	± 3°	PRODUCT SPEC 108-57688	SIZE	CAGE CODE
0 PLC	± -															
1 PLC	± 0.3															
2 PLC	± 0.2															
3 PLC	± 0.15															
4 PLC	± -															
ANGLES	± 3°															
MATERIAL SEE NOTE		FINISH SEE NOTE	DRAWING NO G=2041183	RESTRICTED TO												
		WEIGHT SEE TABLE	A300779													
		CUSTOMER DRAWING	SCALE	SHEET 1 OF 3												
				REV A2												

LOC DW	DIST /	REVISIONS		
P	LTR	DESCRIPTION	DATE	DWN APVD
		SEE SHEET 1.		





NOTE:  
 1. PEELING RESISTANCE: 10gf ~ 130gf.  
 2. PEELING SPEED: 300mm/MINUTE.

24	11.5	3500	7	24500	6.76	1.96	12	1-2041183-2
16	7.5	3500	10	35000	7.15	2.10	08	2041183-8
16	7.5	3500	10	35000	6.40	1.40	06	2041183-6
12	5.5	3500	12	42000	6.92	1.26	04	2041183-4
DIM W	DIM F	PCS/TAPE	REELS/BOX	QUANTITY (PCS)	G/W (Kg)	N/W (Kg)	NO. OF CONTACTS	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		Tyco Electronics Corporation	
DIMENSIONS: MM		CHK		Tyco Electronics Taipei, Taiwan	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD		NAME	
0 PLC ± -		PRODUCT SPEC		WIRE TO BOARD CONNECTOR, P=0.8mm, R/A, SMT TYPE	
1 PLC ± -		APPLICATION SPEC		SIZE	
2 PLC ± -		WEIGHT		CAGE CODE	
3 PLC ± -		SEE TABLE		DRAWING NO	
4 PLC ± -		CUSTOMER DRAWING		A300779	
ANGLES ± -		SCALE		RESTRICTED TO	
FINISH		SHEET		2 OF 3	
		REV		A2	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION AUG, 2006.  
 © COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS					
DW				P	LTR	DESCRIPTION	DATE	DWN	APVD
						SEE SHEET 1.			



NOTE:  
 1. PEELING RESISTANCE: 10gf ~ 130gf.  
 2. PEELING SPEED: 300mm/MINUTE.



16	7.5	3500	10	35000	6.40	1.40	06	4-2041183-6
DIM W	DIM F	PCS/TAPE	REELS/BOX	QUANTITY (PCS)	G/W (Kg)	N/W (Kg)	NO. OF CONTACTS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		Tyco Electronics Corporation Taipei, Taiwan			
DIMENSIONS: MM		CHK				NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		APVD				<b>WIRE TO BOARD CONNECTOR,          P=0.8mm, R/A, SMT TYPE</b>	
MATERIAL		PRODUCT SPEC					
FINISH		APPLICATION SPEC		SIZE			
		WEIGHT		CAGE CODE			
		SEE TABLE		DRAWING NO			
		CUSTOMER DRAWING		A300779			
				G=2041183			
				RESTRICTED TO			
				SCALE			
				SHEET 3 OF 3			
				REV A2			

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)