


REVISIONS				
P	LTN	DESCRIPTION	DATE	APVD
A		RELEASED PER ECO-17-000412	14JAN2017	REH JS



△ LABEL INFORMATION: BARCODE FORMAT - 2D DATAMATRIX

**STE**

BARCODE INFO:  
 2274955-dxxwyysss  
 d=DASH NUMBER  
 xx=MANUFACTURING SITE  
 US=UNITED STATES, CN=CHINA, MX=MEXICO  
 ww=WEEK  
 yy=YEAR  
 sss=SERIAL NUMBER 000 THRU 999

P/N: 2274955-X  
 REV: \_\_\_\_\_  
 MADE IN: \_\_\_\_\_  
 DATE: \_\_\_\_\_ S/N: \_\_\_\_\_

1208	2274955-3
258	2274955-2
508	2274955-1
L±10	PART NO

- EACH CABLE ASSEMBLY TESTED FOR CONTINUITY, OPENS AND SHORTS.
- SEE SHEET 2 FOR WIRING DIAGRAM.
- EACH CABLET TESTED PER 100 OHM LIMITS ON NETWORK ANALYZER, SERIALIZED AND DATA SAVED.

**THIS PRODUCT HAS NOT COMPLETED VALIDATION AND QUALIFICATION TESTING**

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: HAMNER 01JUL2014  
 CHK: C. RITTER 02JUL2014  
 APVD: C. RITTER 02JUL2014

**STE** TE Connectivity

NAME: CABLE ASSEMBLY, 9 PAIR, 6 COLUMN, PiR, 100 OHM, STRADA WHISPER


SIZE: A1 CAGE CODE: - DRAWING NO: C=2274955 RESTRICTED TO: -

MATERIAL: - FINISH: - WEIGHT: -

Customer Drawing SCALE: 2:1 SHEET 1 OF 2 REV: A

REVISIONS				
P.	LTN	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-

### WIRING DIAGRAM



**THIS PRODUCT HAS NOT COMPLETED VALIDATION AND QUALIFICATION TESTING**

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: HAMNER 01JUL2014		TE Connectivity
DIMENSIONS: mm		CHK: C. RITTER 02JUL2014		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: C. RITTER 02JUL2014	NAME: CABLE ASSEMBLY, 9 PAIR, 6 COLUMN, PiR, 100 OHM, STRADA WHISPER	
0 PLC ±		PRODUCT SPEC	SIZE: A1	
1 PLC ±		APPLICATION SPEC	CAGE CODE: -	
2 PLC ±		WEIGHT	DRAWING NO: C=2274955	
3 PLC ±		RESTRICTED TO	SCALE: 2:1	
4 PLC ±		Customer Drawing	SHEET 2 OF 2	
ANGLES ±			REV: A	
FINISH				

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)