




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	A	INITIAL RELEASE	07JUL2015	MY GG



1. ASSEMBLY TO BE 100% TESTED FOR CONTINUITY, SHORTS, AND OPENS, CABLES ASSEMBLYS ARE ALSO TO BE 100% TESTED FOR SIGNAL INTEGRITY, TO SAS 3.0 REQUIREMENTS.

2. ROHS AND REACH COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE SPECIFICATION TEC-138-702.

3 LABEL CENTERED AND LABEL INFORMATION AS BELOW:




4. SEE SHEET #2 FOR WIRING SCHEMATIC.

1000	+25 -0	2820331-4
700	+25 -0	2820331-3
500	+25 -0	2820331-2
300	+25 -0	2820331-1
"L"[MM]		TE P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	16/JUN/2014	TE Connectivity	
DIMENSIONS:		M.YI			
mm		CHK	16/JUN/2014		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		G.GUTGOLD			
0 PLC ± -		APVD	16/JUN/2014	NAME	
1 PLC ± -		PRODUCT SPEC		C/A, INTERNAL HD MINI SAS, STR TO R/A	
2 PLC ± -		APPLICATION SPEC		85 OHMS, 4X, NON HALOGEN	
3 PLC ± -				SIZE	CAGE CODE
4 PLC ± -				A2	00779
ANGLES ± -				DRAWING NO	
FINISH				C=2820331	
MATERIAL				RESTRICTED TO	
				-	
		WEIGHT		SCALE	
		-		N.T.S.	
		CUSTOMER DRAWING		SHEET	
				1 OF 2	
				REV	
				A	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
GP	00	-	SEE SHEET 1	-	-	-	-



# WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	16/JUN/2014		TE Connectivity		
DIMENSIONS: mm		CHK	16/JUN/2014		NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	16/JUN/2014		C/A, INTERNAL HD MINI SAS, STR TO R/A		
0 PLC ± -		PRODUCT SPEC			85 OHMS, 4X, NON HALOGEN		
1 PLC ± -		APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
2 PLC ± -		WEIGHT	-	A2	00779	C=2820331	-
3 PLC ± -		CUSTOMER DRAWING		SCALE	N.T.S.	SHEET	2 OF 2
4 PLC ± -							REV
ANGLES ± -							A
FINISH							

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)