

NOTES:

1. MATERIAL:

- A) BACKSHELL COPPER ALLOY 172 PER QQ-A-533
- B) BACKSHELL SCREW STAINLESS STEEL PER QQ-S-763, 300 SERIES
- C) CLAMP BAR STAINLESS STEEL PER QQ-S-763, 300 SERIES
- D) INSERT ALUMINUM ALLOY PER QQ-A-356
- E) CLAMP SCREW STAINLESS STEEL PER QQ-S-763, 300 SERIES
- F) BRAID COPPER ALLOY








2. FINISH:

- A) BACKSHELL CADMIUM PLATED PER QQ-P-416
- B) BACKSHELL SCREW CADMIUM PLATED PER QQ-P-416
- C) CLAMP BAR CADMIUM PLATED PER QQ-P-416
- D) INSERT CADMIUM PLATED PER QQ-P-416
- E) CLAMP SCREW CADMIUM PLATED PER QQ-P-416
- F) BRAID TIN PLATED

3. RAYCHEM PART NUMBER CHA-0232 AND DATE CODE ARE STAMPED APPROXIMATELY AS SHOWN.

4. WHEN A BUS IS REQUIRED FOR TERMINATING SHIELDS, REFER TO RAYCHEM SPECIFICATION CONTROL DRAWING CTA-0157 FOR BUS DETAILS.

REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED
N/C	INITIAL RELEASE PER ECN# T-11858	89MAR16	J.BLAIR
A	REVISED PER ECN# T-18645	93/10/26	<i>[Signature]</i>



INSERT BACKSHELL BACKSHELL SCREW

SPECIFICATION CONTROL DRAWING © Raychem Corporation 1986

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. METRIC DIMENSIONS ARE IN BRACKETS. DECIMALS .XXX ± .005 [.13 mm] .XX ± .02 [.5 mm] ANGLES .X ±	DRAWN	LUTTACKEN	88FEB23	Raychem RAYCHEM CORPORATION 300 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025 TITLE BACKSHELL, RECEPTACLE, 1" EME STYLE, CADMIUM PLATED (FOR ROUND WIRE PLANAR-ARRAYED CABLES) MTC SERIES
	ORDERED	J.B.		
	APPROVED	J. BLAIR	88FEB27	
	APPROVED	<i>[Signature]</i>	11AUG7	
WEIGHT	49.1 GRAMS MAX.	THIRD ANGLE PROJECTION		SIZE C DATE REVISION NO. 06090 DWG. NO. CHA-0232 REV A

If this document is printed it becomes uncontrolled. Check with the web for latest revision.

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)