

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	C1	NEW DRAWING CREATED IN CREO	03FEB2015	JB JH	BRUN
	C2	LEAD REMOVED AT NOTE 2	18NOV2015	MAH.	BRUN

17.7 MAX.

14 MAX.
FOR LOOSE PIECE

3.3

Ø1.52

A

B

0.15 max.

XXX

NOTES:

1 SUITABLE FOR 0.64 x 0.64 POST

2 CRIMP AREA PLATED WITH 2.5 µm MIN. TIN OVER 0.8 NICKEL

3 GOLD PLATING

- 2 0.4 µm GOLD OVER 0.8 µm NICKEL
- 3 0.8 µm GOLD OVER 0.8 µm NICKEL
- 4 1.25 µm GOLD OVER 0.8 µm NICKEL
- 5 2.0 µm GOLD OVER 0.8 µm NICKEL
- 1- -5 1.5 µm GOLD OVER 1.25 µm NICKEL
- 1- -6 1 µm GOLD OVER 1.25 µm NICKEL
- 8 1.7 µm GOLD OVER 0.8 µm NICKEL

4 POST STOP DIMENSION

4.4

1.5

7.0 MIN.
CRIMP AREA

1

1.07

1.74

SECTION A-A

0.23

1.73

SECTION B-B

215141-8	PHOSPHOR BRONZE	2 3
1-215141-6		
1-215141-5		
215141-5		
215141-4		
215141-3		
215141-2		
ORDER NO.	MATERIAL	PLATING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	03FEB1986	 TE Connectivity
		CHK	05FEB1986	
		APVD	17FEB1986	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME
		0 PLC ±		RECEPTICAL CONTACT WITH MASS TERMINATION AREA FOR AWG 26-22
		1 PLC ±		
MATERIAL		2 PLC ±		SIZE
		3 PLC ±		CAGE CODE
		4 PLC ±		DRAWING NO
		ANGLES ±		RESTRICTED TO
		FINISH		WEIGHT
				A3
				SCALE
				10:1
				SHEET
				1 OF 1
				REV
				C2

1470-19 (3/13)

Downloaded From Onevac.com

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)