

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AJ	16	0	RELEASED.	08DEC2005	JGH/JGH

① ZINC PER ASTM B 86.  
 ② BERYLLIUM COPPER PER ASTM B 196.  
 ③ POLYMETHYLPENTENE, BLUE, GENERAL PURPOSE.  
 ④ TIN PLATE PER ASTM B 545  
 3.81  $\mu\text{m}$  [.000180] MINIMUM THICK.  
 ⑤ TIN PLATE PER ASTM B 545  
 2.54  $\mu\text{m}$  [.000100] MINIMUM THICK.  
 ⑥ SILVER PLATE PER ASTM B 700  
 5.08  $\mu\text{m}$  [.000200] MINIMUM THICK.  
 7. CONNECTOR WILL ACCEPT CENTER CONDUCTOR  
 DIAMETER RANGE OF 0.97[.038]–1.65[.065].  
 ⑧ MAJOR DIAMETER MODIFIED TO .363 REF.

SHELL  
 CLIP  
 7/16 HEX  
 3/8-32 UNEF-2A  
 DIELECTRIC  
 CONTACT  
 1.63±0.05 DIA  
 [.064±.002]

10.74  $\begin{matrix} +0.18 \\ -0.33 \end{matrix}$   
 [.423  $\begin{matrix} +.007 \\ -.013 \end{matrix}$ ]  
 1.32  $\begin{matrix} +0.08 \\ -0.43 \end{matrix}$   
 [.052  $\begin{matrix} +.003 \\ -.017 \end{matrix}$ ]  
 18.16  $\begin{matrix} +0.25 \\ -1.02 \end{matrix}$   
 [.715  $\begin{matrix} +.010 \\ -.040 \end{matrix}$ ]  
 7.62±0.25  
 [.300±.010]

$\phi$  9.73  
 9.58  
 .383  
 .377  
 8.15  
 8.00  
 .321  
 .315

SCALE 4:1  
 RECOMMENDED PANEL CUTOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. HAVENER 08DEC2005	Tyco Electronics Corporation Harrisburg, PA 17105-3608				
DIMENSIONS: mm [INCHES]		CHK K. WEIDNER 08DEC2005					
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD K. WEIDNER 08DEC2005					
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		NAME JACK, 15 AMP, PCB, G SERIES					
MATERIAL SEE NOTES 1-3		FINISH SEE NOTES 4-6	WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C=5415332	RESTRICTED TO -
CUSTOMER DRAWING			SCALE 10:1	SHEET 1 of 1	REV 0		

AMP 1471-9 REV 31MAR2000

Downloaded From [Onevac.com](http://Onevac.com)

5415332

5415332-1

PART NO

A

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)