


LOC		DIST		REVISIONS			
F	LTR	PER	ECO	DATE	DN	APVD	
LS	REVISED	PER	ECO-13-015097	25SEP2013	KH	JO	



- 1 POINT OF MEASUREMENT FOR PLATING THICKNESS.
- 2 FINISH OVER INDICATED AREA: .000030 GOLD OVER .000050 NICKEL.
- 3 FINISH OVER INDICATED AREA: .000100-.000200 BRIGHT TIN LEAD OVER .000050 NICKEL.
- 4 RECESSED DATE CODE AND LOGO.
- 5 OBSOLETE PART NUMBER.
- 6 PRELIMINARY PART - NOT RELEASED FOR PRODUCTION
- 7 FINISH OVER INDICATED AREA: .000100-.000200 MATTE TIN OVER .000050 NICKEL.
- 8 ROHS 2002/95/EC COMPLIANT
- 9 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



NO. OF POSN	A	B	C ± .010	D	E	PART NUMBER
12	26	12	26	1.570	1.680	7-102692-9
12	160	79	160	8.270	8.380	7-102692-8
46	94	46	94	4.970	5.080	7-102692-7
21	44	21	44	2.470	2.580	7-102692-6
6	14	6	14	.970	1.080	7-102692-5
89	180	89	180	9.270	9.380	7-102692-4
73	148	73	148	7.670	7.780	7-102692-3
63	128	63	128	6.670	6.780	7-102692-2
69	140	69	140	7.270	7.380	7-102692-1
64	130	64	130	6.770	6.880	7-102692-0
42	86	42	86	4.570	4.680	6-102692-9
35	72	35	72	3.870	3.980	6-102692-8
14	30	14	30	1.770	1.880	6-102692-7
9	20	9	20	1.270	1.380	6-102692-6
16	16	16	16	1.070	1.180	6-102692-5
34	70	34	70	3.770	3.880	6-102692-4
19	40	19	40	2.270	2.380	6-102692-3
49	90	49	90	4.770	4.880	6-102692-2
99	200	99	200	10.270	10.380	6-102692-1
54	110	54	110	5.770	5.880	6-102692-0
120	120	120	120	6.270	6.380	5-102692-9
49	100	49	100	5.270	5.380	5-102692-8
47	96	47	96	5.070	5.180	5-102692-7
80	80	80	80	4.270	4.380	5-102692-6
39	60	39	60	3.270	3.380	5-102692-5
24	50	24	50	2.770	2.880	5-102692-4
17	36	17	36	2.070	2.180	5-102692-3
11	24	11	24	1.470	1.580	5-102692-2
5	12	5	12	.870	.980	5-102692-1
12	26	12	26	1.570	1.680	2-102692-9
79	160	79	160	8.270	8.380	2-102692-8
46	94	46	94	4.970	5.080	2-102692-7
21	44	21	44	2.470	2.580	2-102692-6
6	14	6	14	.970	1.080	2-102692-5
89	180	89	180	9.270	9.380	2-102692-4
73	148	73	148	7.670	7.780	2-102692-3
63	128	63	128	6.670	6.780	2-102692-2
69	140	69	140	7.270	7.380	2-102692-1
64	130	64	130	6.770	6.880	2-102692-0
42	86	42	86	4.570	4.680	1-102692-9
35	72	35	72	3.870	3.980	1-102692-8
14	30	14	30	1.770	1.880	1-102692-7
9	20	9	20	1.270	1.380	1-102692-6
16	16	16	16	1.070	1.180	1-102692-5
34	70	34	70	3.770	3.880	1-102692-4
19	40	19	40	2.270	2.380	1-102692-3
49	90	49	90	4.770	4.880	1-102692-2
99	200	99	200	10.270	10.380	1-102692-1
54	110	54	110	5.770	5.880	1-102692-0
120	120	120	120	6.270	6.380	102692-9
49	100	49	100	5.270	5.380	102692-8
47	96	47	96	5.070	5.180	102692-7
80	80	80	80	4.270	4.380	102692-6
39	60	39	60	3.270	3.380	102692-5
24	50	24	50	2.770	2.880	102692-4
17	36	17	36	2.070	2.180	102692-3
11	24	11	24	1.470	1.580	102692-2
5	12	5	12	.870	.980	102692-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

APPROVED: J. GESFORD 12NOV98

DESIGNED: J. HAYMAKER 11JAN01

TE Connectivity

HEADER ASSEMBLY, MOD II, .100C.100CL, .025 SQ POSTS

SCALE: 4:1 SHEET 1 OF 1 REV 15

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)