







RECOMMENDED MOUNTING HOLE PATTERN FOR 1.57[.062] THICK P.C. BOARD



INTERRUPTED WALL FOR POSITION SIZES 6 AND ABOVE



THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN RAGHAVENDRA 02FEB11	TE Connectivity
DIMENSIONS: mm [INCHES]		CHK MACE SAMUEL 02FEB11	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD MACE SAMUEL 02FEB11	NAME
0 PLC	± -	PRODUCT SPEC	
1 PLC	± -	APPLICATION SPEC	
2 PLC	± 0.13[0.005]	SIZE	
3 PLC	± -	CAGE CODE	
4 PLC	± -	DRAWING NO	
ANGLES	± -	RESTRICTED TO	
MATERIAL	FINISH	WEIGHT	SCALE
		A1 00779	8:1
		1744397	SHEET 1 OF 2
		CUSTOMER DRAWING	REV A1



- 1 MATERIAL:
HOUSING: THERMOPLASTIC POLYESTER, GLASS FILLED, UL94V-0.
POST: COPPER ALLOY
- 2 FINISH
HOUSING: NATURAL
POST: MATTE TIN PLATE 0.00380[.000150] MIN
OVER NICKEL UNDERPLATE 0.0013[.000050] MIN THICK.
- 3 ALL POSITION SIZES HAVE THE BACKWALL NOTCHED ON BOTH ENDS AS SHOWN. THE 2 AND 5 POSITION SIZES HAVE SOLID BACKWALLS. POSITION SIZES 6 AND ABOVE HAVE AN INTERRUPTED BACKWALL AT VARIOUS LOCATIONS. (SEE TABLE FOR INTERRUPTION(S) LOCATIONS).
- 4 POST SOLDER TAILS COMPLY WITH AMP SOLDERABILITY SPEC 109-11-2.
- 5 POST WITHSTANDS 13.34N (3 LB) MIN AXIAL FORCE IN EITHER DIRECTION WITHOUT DISLODGING.
- 6 APPLIES AT [-A-].
- 7 APPLIES WHEN THE HEADER IS STRAIGHT.
- 8 PLASTIC PROJECTIONS PERMITTED IN THIS ZONE.
- 9 COORDINATE DIMENSIONS APPLIES FROM THE CENTER OF THE ACTUAL FEATURE.
- 10 SOLDER SIDE OF BOARD IS SHOWN.
- 11 THE RETENTION TABS PROVIDE A ONE-TIME INTERFERENCE FIT IN THE 1.63[.064] DIAMETER BOARD HOLE FOR HEADER ASSEMBLY RETENTION DURING SOLDERING. FOUR TABS PER PEG, TWO PEGS PER HEADER ASSEMBLY (ONE PEG ONLY FOR 2 POSITION SIZE).
- 12 UL MARKING MAY NOT APPEAR ON THE 2 OR 3 POSITION SIZES. CSA MARKING MAY NOT APPEAR ON THE 2 POSITION SIZE.
- 13 POST NO. 1 OMITTED.
- 14 DIMENSIONS IN BRACKETS ARE IN INCHES
- 15 EDGE OF POLARIZING LOCK WALL TO BE IN LINE WITH CENTERLINE OF ADJACENT POST WITHIN ±0.13[.005].
- 16 NOTCH SHOWN MAY OR MAY NOT APPEAR.

TIN	19.69[.775]	5	1744397-5
TIN	11.76[.463]	3	1744397-3
FINISH	L	NO OF POSITIONS	PART NO

METRIC

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± -	DWN RAGHAVENDRA 02FEB11 CHK MACE SAMUEL 02FEB11 APVD MACE SAMUEL 02FEB11 NAME PRODUCT SPEC APPLICATION SPEC SIZE CASE CODE DRAWING NO WEIGHT A1 00779C=1744397	RESTRICTED TO CUSTOMER DRAWING SCALE 1:1 SHEET 2 OF 2 REV A1
----------------------------	--	--	--

TE Connectivity
MTA156 HDR ASSY POL W/O#1

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)