

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - BY - ALL RIGHTS RESERVED.

| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P | LTR | DESCRIPTION | DATE | APVD |
| - | - | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |

SECTION F-F
SCALE 15:1

VIEW P

| | | | | |
|---|--|------------------------------------|--|---------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN 11 JAN 2008 S. Zwartkruis | Tyco Electronics STE TE Connectivity | |
| DIMENSIONS: mm | | CHK 14 JAN 2008 P. Willems | NAME RECEPTACLE CONNECTOR 3 POSITION, BL-4CT BATTERY BLOCK | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2 1 PLC ±0.1 2 PLC ±0.05 3 PLC ± 4 PLC ± ANGLES ± FINISH | | APVD 14 JAN 2008 D. Halberstadt | PRODUCT SPEC 108-19276 APPLICATION SPEC 114-19088 | |
| MATERIAL See Table material_2 | | WEIGHT 275 mg | SIZE A2 | CAGE CODE C-2042078 |
| FINISH See Table finish_spec_2 | | CUSTOMER DRAWING | SCALE 8:1 | SHEET 2 OF 2 REV B |

1471-9 (3/13)

Downloaded From Onevac.com

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)