



△ MATERIAL: - PCT POLYESTER, BLACK, UL94V-0.
 HOUSING - OVERMOLDED TERMINAL ARRAY - PBT, BROWN.
 TERMINALS - 0.33 [.013] THICK PHOS BRONZE PLATED WITH 1.27µm [.000050] MIN THICK HARD GOLD IN LOCALIZED AREA AND 3.81µm [.000150] MIN THICK MATTE TIN IN SOLDER AREA OVER 1.27µm [.000050] MIN THICK NICKEL UNDERPLATE.
 SHIELD - 0.25 [.010] THICK COPPER ALLOY PLATED WITH 1.27µm [.000050] MIN NICKEL AND 2.03µm [.000080] MIN HOT TIN DIP ON PCB GROUND TABS.
 △ JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
 △ DATE CODE LOCATED ON REAR OF PART APPROX. AS SHOWN. FIRST 2 DIGITS ARE LAST 2 DIGITS OF YEAR, SECOND 2 DIGITS ARE MANUFACTURING WORK WEEK, LAST DIGIT IS DAY OF WEEK, WITH SUNDAY = 1.

THIS DRAWING IS A CONTROLLED DOCUMENT		REV. 22		REV. 22	
DIMENSIONS: mm (INCHES)		DATE: 9MAR2009		SY	
QUANTITIES: 0 PCB, 2 PCB, 4 PCB		DESCRIPTION: REV PER ECR-09-004284		DZ	
OTHER PARTS: 1 PCB, 2 PCB, 4 PCB		DRAWING NO: 5406494		SZ	
DIMENSIONS: 108-1163-2		SCALE: 4:1		SHEET 1 OF 1	
DRAWING NO: 114-2048		CUSTOMER DRAWING		REV C	
PART NUMBER: 5406494-1		PART NUMBER		REV C	
Tyo Electronics Corporation		Tyo Electronics Corporation		Tyo Electronics Corporation	
Harrisburg, Pa 17105-3608		Harrisburg, Pa 17105-3608		Harrisburg, Pa 17105-3608	
Stacked Modular Jack Assembly, Panel Ground, Category 5		Stacked Modular Jack Assembly, Panel Ground, Category 5		Stacked Modular Jack Assembly, Panel Ground, Category 5	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)