



a) Part as supplied

203W301



b) Part after unrestricted recovery



**DIMENSIONS (in millimetres)**

| Part No. | H            |               | J            |               | P            | R            | S             | T             | JO            | HW            | JW            |
|----------|--------------|---------------|--------------|---------------|--------------|--------------|---------------|---------------|---------------|---------------|---------------|
|          | Min<br>a     | Max<br>b      | Min<br>a     | Max<br>b      | ±10%<br>b    | ±10%<br>b    | ±10%<br>b     | ±10%<br>b     | ±10%<br>b     | ±20%<br>b     | ±20%<br>b     |
| 203W301  | 10<br>(0.39) | 5.8<br>(0.23) | 10<br>(0.39) | 2.2<br>(0.09) | 29<br>(1.14) | 21<br>(0.83) | 3.0<br>(0.12) | 0.5<br>(0.02) | 4.5<br>(0.18) | 0.8<br>(0.03) | 0.5<br>(0.02) |

**Copyright (!)**


The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn A.LILLEY. Checked *[Signature]* Issue 1

Date January 2002

Conforms to ISO Recommendations  
3rd Angle Projection  
Not to Scale


Approval Design *[Signature]* MKTG. *[Signature]* Q.A. *[Signature]*



300

|                |      |  |                               |                |
|----------------|------|--|-------------------------------|----------------|
| <b>Raychem</b> |      | <b>Specification<br/>Control Drawing</b> | Part Number<br><b>203W301</b> | <b>Issue 1</b> |
| Iss.           | Date | E.C.R.<br>No.                            | Details of Change             |                |
|                |      |  |                               |                |

### Ordering Information



### COMPATIBILITY CHART

| Material Dash Number | Material Description            | SPEC Number      | Coating Slash Number |
|----------------------|---------------------------------|------------------|----------------------|
| -3                   | POLYOLEFIN, SEMI-RIGID          | RT-301, RK-6703  | /42, /86             |
| -4                   | POLYOLEFIN, FLEXIBLE            | RT-1304, RK-6704 | /42, /86             |
| -25                  | ELASTOMER, FLUID RESISTANT      | RT-1325, RK-6713 | /86, /225            |
| -130                 | POLYOLEFIN, COMMERCIAL FLEXIBLE | RW-2008          | /42                  |
|                      |                                 |                  |                      |
|                      |                                 |                  |                      |

#### NOTES

- ① As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

|  |   |
|--|---|
| Tyco electronics UK Ltd.<br>Faraday Road,<br>Swindon, Wiltshire, SN3 5HH<br>England<br>Telephone: (01793) 528171 Fax: 572516 | Tyco electronics Corporation<br>300, Constitution Drive,<br>Menlo Park, CA 94025<br>USA<br>Telephone (650) 361-3860 Fax: (650) 361-5579 |
| Cage Code K1010  | Cage Code 06090   |

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)