




REVISIONS					
P	LTR	DESCRIPTION	DATE	DRN	APVD
B1		PART STATUS UPATED IN PART LIST TABLE	15FEB2018	SD	PS



- ① THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING
- ② POINT OF MEASUREMENT FOR PLATING THICKNESS
- ③ RETENTIVE POST FEATURE, BOTH ROWS.
- ④ POSTS: .000030 GOLD IN CONTACT AREA, .000100-.000200 MATTE TIN-LEAD ON SOLDER TAIL, ALL OVER .0000050 NICKEL.
- ⑤ POSTS: .000030 GOLD IN CONTACT AREA, .000100-.000200 MATTE TIN ON SOLDER TAIL, ALL OVER .0000050 NICKEL.
- ⑥ OBSOLETE



RECOMMENDED HOLE LAYOUT

PLATING	E	D	C	B	A	NO OF POSN	ASSEMBLY PART NUMBER
⑤	—	.306	.832	.700	7	16	5-147004-1
④	—	.306	.832	.700	7	16	147004-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. BRANDBERG 01 OCT 96		TE Connectivity	
DIMENSIONS: INCHES		DWR S. SHUEY 01 OCT 96		NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. SHUEY 01 OCT 96		PRODUCT SPEC	
0 PLC ± -		APPLICATION SPEC		SIZE	
1 PLC ± -		WEIGHT		CAGE CODE	
2 PLC ± -		CUSTOMER DRAWING		DRAWING NO	
3 PLC ± .005		SCALE		RESTRICTED TO	
4 PLC ± -		4:1		A1 00779 C=147004	
ANGLES ± -		SHEET		REV	
MATERIAL HOUSING: FLAME RETARDANT THERMOPLASTIC COLOR-BLACK POSTS: PADS BRONZE		FINISH SEE TABLE		1 OF 1	
		SCALE		REV B1	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)