

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2011

© COPYRIGHT 2011

TE CONNECTIVITY

ALL RIGHTS RESERVED.

LOC
BDIST
-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
D		ECR-11-017575	22/08/11	JB	MG
E		ECR-11-018763	12/09/11	JB	MG

Technical drawing showing the main view of the contact assembly. Dimensions include: 18.1±0.1 (1), 9.7 REF. (13), 0.8^{+0.10}/_{-0.05} (16), 2.5 (2), 0.3 (3), 2.54±0.03 (4), R0.1 (19), 0.5^{+0.10}/_{-0.05} (5), 1.3^{+0.1}/₀ (6), 2.3 (15), 15° (17), 45° (18), 0.3 (8), 0.8±0.03 (9), 12 (7), 0.5 (14), 2.5 (12), 1.25 (10), and Ø1.2±0.03 (11).

Detail A technical drawing showing dimensions: 0.25^{+0.03}/_{-0.02} (22), 13^{+0.05}/_{-0.10} (21), 14^{+0.1}/₀ (20), and SEE DETAIL A.

Detail A technical drawing showing dimensions: 0.64 MIN. (44), 0.1±0.02 (33), 0.5^{+0.08}/_{-0.02} (34), R0.6 (35), R0.3±0.1 (36), 0.8^{+0.1}/₀ (40), 0.95^{+0.04}/_{-0.05} (37), 0.9 (43), 0.35^{+0.20}/_{-0.05} (41), R1.6 (38), 1.9 (39), 1.7±0.1 (30), 1.1^{+0.10}/_{-0.05} (31), 30°^{+7°}/_{-8°} (32), and R0.2 (42).

NOTE
BOWING: AFTER UPPER TIE BAR REMOVAL - 1.5mm MAX. FOR 500mm
PITCH: AFTER UPPER TIE BAR REMOVAL - 2.54±0.127

Isometric view of the contact assembly.

SCALE 4:1

DIRECTION "0"
CONTACTS DOWN

DIRECTION "1"
CONTACTS UPWARDS

DIRECTION OF TOP OF REEL

DIRECTION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±-
2 PLC	±0.05
3 PLC	±-
4 PLC	±-
ANGLES	±0.5
FINISH	-

MATERIAL SEE ABOVE.

DWN J. BRIGHT 22/08/11

CHK M. GREENER 22/08/11

APVD D. PENNINGTON 22/08/11

PRODUCT SPEC

APPLICATION SPEC

WEIGHT -

CUSTOMER DRAWING

0	Ni & Sn	1544290-2
0	Sn	1544290-1
REELING	FINISH	PART NUMBER

TE Connectivity

NAME
SIL CONTACT

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A300779 C-1544290

SCALE NTS SHEET 1 OF 1 REV E

1470-19 (3/11)

Downloaded From Oneyac.com

Pro/ENGINEER DRAWING

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)