

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	N	REVISED PER ECO-19-002381	06MAR2019	AP DG

53,1
47,0
38,4
10° TYP
1,5R TYP.
5,0 DIA.
2,5 R. TYP.
SOLDER-TAIL
2,76 TYP.
7,3
13,6
3,5 MAX.
3,2+0/-0,5
7

15,0
4,9
2,0
8,0
0,4
10,3
2,54
9,3
2,9
6

ACCESSORIES	ITEM NO.	DESCRIPTION OF ACCESSORY												
			1	2	3	4	5	6	7	8	9			
5		BUSHING WITH THROUGH-HOLE 3,1 DIA.							2					
5		BUSHING WITH INNER THREAD 4-40 UNC		2									2	
5		BUSHING WITH INNER THREAD M3			2								2	
4		FEMALE SCREWLOCK WITH 4-40 UNC				2								2
4		FEMALE SCREWLOCK WITH M3					2							2
7		BOARDLOCK	2	2	2	2	2	2						

6,3+0/-0,2
1
6,13
11,57
3,4 DIA. HOLE WITHOUT BOARDLOCK (7).
8

1 GROOVE INDICATES VERSION WITH 4-40 UNC INNER THREAD; WITHOUT GROOVE INDICATES VERSION WITH M3 INNER THREAD.
 2 CAVITY IDENTIFICATION AT FRONT SIDE ONLY.
 3 PART NUMBER AND DATE CODE.
 4. AIR AND CREEPAGE DISTANCES ACCORDING TO DIN 41652.
 5. CONTACT FINISH: GOLD FLASH OVER PALLADIUM-NICKEL PLATE OR GOLD PLATE ON THE MATING SURFACES, TIN PLATE ON THE SOLDER-TAILS, NICKEL UNDERPLATE ON THE ENTIRE CONTACT. MATING SURFACE MEETS PERFORMANCE LEVEL 2 PER DIN 41652.

ITEM NO./MATERIAL :

1 SHELL : BRIGHT TIN PLATED STEEL
 2 HOUSING : GLASS FILLED POLYESTER, COLOR : BLACK
 3 CONTACTS : PHOSPHOR BRONZE (PLATING : SEE NOTES ABOVE)
 4 FEMALE SCREWLOCK : TIN PLATED STEEL (INNER THREAD 4-40 UNC OR M3)
 5 BUSHING : TIN PLATED STEEL (INNER THREAD 4-40 UNC OR M3 OR 3,1 DIA THROUGH-HOLE)
 6 BRACKET : TIN PLATED STEEL
 7 BOARDLOCK : TIN PLATED PHOSPHOR BRONZE
 8 POST ALIGNMENT PLATE : GLASS FILLED NYLON. COLOR : BLACK

RECOMMENDED P.C. BOARD HOLE-LAYOUT

47,0
1,27
1,38
0,7+/-0,1 DIA
3,1+/-0,1 DIA.
2,76
6,95
MATING FACE OF CONNECTOR

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN D. KESSLER 14JAN99	TE Connectivity	
DIMENSIONS: mm		CHK W. SOOMERS	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± 0,3 2 PLC ± 0,15 3 PLC ± - 4 PLC ± - ANGLES ± 2°		APVD -	HD-20 SIZE 3 RIGHT ANGLE RECEPTACLE HEADER; MARK II +	
MATERIAL		PRODUCT SPEC -	SIZE A2	RESTRICTED TO -
FINISH		APPLICATION SPEC -	CAGE CODE 00779	DRAWING NO C=106507
		WEIGHT -	SCALE NTS	SHEET 1 of 1
		CUSTOMER DRAWING	REV N	

1471-9 (3/11) Downloaded From Onevac.com

106507

A

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)

[>>点击查看相关商品](#)