


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
CE	16	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A1	REVISED-ADDED -4	27MAY08	JWD	JD



MAX IL (dB) / 2	L METERS [INCHES]	PART NUMBER
0.57	100±1.0 [3937±39]	9-5492187-9
0.52	30.00±0.30 [1181.0±12.0]	3-5492187-0
0.52	25±0.3 [984±12]	2-5492187-5
0.51	20.00±0.30 [787.0±12.0]	2-5492187-0
0.51	15±0.15 [591±6]	1-5492187-5
0.51	10±0.15 [394±6]	1-5492187-0
0.50	7±0.08 [275±3]	5492187-7
0.50	6±0.08 [236±3]	5492187-6
0.50	5±0.08 [197±3]	5492187-5
0.50	4.00±0.08 [157.5±3.0]	5492187-4
0.50	3±0.05 [118±2]	5492187-3
0.50	2±0.05 [79±2]	5492187-2
0.50	1±0.05 [39±2]	5492187-1

- DIMENSIONS IN [] ARE IN INCHES
- MAXIMUM INSERTION LOSS IS 0.5dB PLUS CABLE ATTENUATION OF 0.7dB/km AT 1310nm (SEE TABLE)
- 65 dB MIN RETURN LOSS
- PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TYCO ELECTRONICS STANDARD 230-702

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.S.VASU 10 FEB 06	Tyco Electronics Corporation Harrisburg, Pa 17105-3608												
DIMENSIONS: METERS [INCHES]		CHK J.DUNCAN 10 FEB 06	NAME CABLE ASSEMBLY, FIBER OPTIC, SINGLEMODE 3.0mm LDS, RISER, FC/APC TO FC/APC												
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J.DUNCAN 10 FEB 06	PRODUCT SPEC												
<table border="0"> <tr><td>0 PLC</td><td>± -</td></tr> <tr><td>1 PLC</td><td>± -</td></tr> <tr><td>2 PLC</td><td>± -</td></tr> <tr><td>3 PLC</td><td>± -</td></tr> <tr><td>4 PLC</td><td>± -</td></tr> <tr><td>ANGLES</td><td>± -</td></tr> </table>		0 PLC	± -	1 PLC	± -	2 PLC	± -	3 PLC	± -	4 PLC	± -	ANGLES	± -	APPLICATION SPEC	
0 PLC	± -														
1 PLC	± -														
2 PLC	± -														
3 PLC	± -														
4 PLC	± -														
ANGLES	± -														
MATERIAL		WEIGHT	SIZE A3	CAGE CODE 00779											
			DRAWING NO G-5492187	RESTRICTED TO											
		CUSTOMER DRAWING		SCALE NTS											
		SHEET 1 OF 1		REV A1											

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)