



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-

OBSOLETE	72mm	53.34 [2.100]	$\Delta_{10}$	48.26 [1.900]	55.88 [2.200]	40	$\Delta_{15}$	$\Delta_{16}$ 7-1825396-0
		53.34 [2.100]	$\Delta_{10}$	48.26 [1.900]	55.88 [2.200]	40	$\Delta_2$	2-1825396-0
EIA TAPE WIDTH		D	C	B	A	NO OF POSN	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.BINNER	20MAY02	<b>STE</b> TE Connectivity Ltd.	
DIMENSIONS: mm [INCHES]		CHK J.OLSON	APVD J.OLSON		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		NAME RCPT ASSY, MOD IV, DOUBLE ROW, VERTICAL, DUAL ENTRY, .100X.100 C/L, SURFACE MOUNT, AMPMODU	
0 PLC ± -		108-25022		SIZE A2	
1 PLC ± -		APPLICATION SPEC		CAGE CODE 00779	
2 PLC ± 0.13[.005]		114-25018		DRAWING NO C=1825396	
3 PLC ± 0.013[.0005]		WEIGHT -		RESTRICTED TO -	
4 PLC ± -		CUSTOMER DRAWING		SCALE 1:1	
ANGLES ± -		FINISH SEE SHEET 1		SHEET 2 of 2	
MATERIAL SEE SHEET 1		WEIGHT -		REV B	

1825396

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)