




REVISIONS					
P	LTR	DESCRIPTION	DATE	DMN	APVD
P		REVISED PER ECO-17-011181	04AUG2017	RS	MZ
R		REVISED PER ECO-18-000441	24JAN2018	RS	MZ
S		REVISED PER ECO-20-002046	17FEB2020	RK	MZ



RECOMMENDED LAYOUT

- 1 HOUSING MATERIAL: PA66, BLACK, UL 94 V-0 RATED.
- 2 CONTACT MATERIAL: PHOSPHOR BRONZE.
- 3 3.81µm [.000150] MIN TIN-LEAD OVER 1.27µm [.0000050] MIN NICKEL.
- 4 0.76µm [.000030] MIN GOLD FOR A LENGTH OF 4.95 [.195] MIN FROM MATING END 3.81µm [.000150] MIN TIN-LEAD FOR A LENGTH OF 4.88 [.192] MIN ON OPPOSITE END, BOTH OVER 1.27µm [.000050] MIN NICKEL.
- 5 .000150 MIN LEAD FREE TIN OVER .000050 MIN NICKEL.
- 6 0.76µm [.000030] MIN GOLD FOR A LENGTH OF 4.95 [.195] MIN FROM MATING END 3.81µm [.000150] MIN TIN FOR A LENGTH OF 4.88 [.192] MIN ON OPPOSITE END, BOTH OVER 1.27µm [.000050] MIN NICKEL.
- 7 PRILIMINARY PART NUMBER.
- 8 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI.

REV	DESCRIPTION	DATE	DMN	APVD	
6	OBSOLETE	3.50 [.137]	6	YES	1-207534-2
6	OBSOLETE		6	NO	-1-207534-1
5	OBSOLETE		5	YES	1-207534-0
5	OBSOLETE	4.60 [.181]	5	NO	-207534-9
4	OBSOLETE		4	YES	207534-8
4	OBSOLETE		4	NO	-207534-4
3	OBSOLETE		3	YES	207534-3
3	OBSOLETE		3	NO	-207534-2
3	OBSOLETE		3	YES	207534-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DIN L/SIPE 03/20/92	APVD R. STONE 3-25-92	NAME ALTRAVIS 3-25-92	SIZE A1	SCALE 4:1	SHEET 1 OF 1	REV S
0 PLC ± -	1 PLC ± -	2 PLC ± 0.25 [.010]	3 PLC ± -	4 PLC ± -	WEIGHT -	CUSTOMER DRAWING		

MATERIAL: SEE NOTE. FINISH: CONTACT: SEE TABLE.

SOCKET HEADER ASSEMBLY, 36 POSITION, METRIMATE

108-10033

00779 ©=207534

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)