


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
HG	-	A1		ADD DASH 4-0, 5-0	25NOV11	SW	RZ

- 1. MAXIMUM INSERTION LOSS IS 0.5dB PLUS CABLE ATTENUATION OF 0.7dB/km AT 1310nm (SEE TABLE)
- 2. MINIMUM RETURN LOSS IS 55dB AT 1310nm
- 3. PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TE STANDARD TEC-138-702



0.54	60±0.6 [2362±24]	6-5492021-0	
0.54	50±0.5 [1969±20]	5-5492021-0	
0.53	45.00±0.45 [1772.0±18.0]	4-5492021-5	
0.53	40±0.4 [1575.0±16.0]	4-5492021-0	
0.52	30.50±0.30 [1200.0±12.0]	1-5492021-2	
0.51	9.14±0.15 [360.0±6.0]	1-5492021-1	
0.50	7.31±0.08 [288.0±3.0]	1-5492021-0	
0.57	95.0±0.95 [3740.1±37.4]	5492021-9	
0.50	0.30±0.03 [12.0±1.0]	5492021-8	
0.51	20±0.3 [787±12]	5492021-7	
0.51	15±0.15 [591±6]	5492021-6	
0.51	10±0.15 [394±6]	5492021-5	
0.50	5±0.08 [197±3]	5492021-4	
0.50	3±0.05 [118±2]	5492021-3	
0.50	2±0.05 [79±2]	5492021-2	
0.50	1±0.05 [39±2]	5492021-1	
1	MAX IL (dB)	L METERS [INCHES]	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	C.S.VASU	02 JAN 06
CHK	J.DUNCAN	02 JAN 06
APVD	J.DUNCAN	02 JAN 06
PRODUCT SPEC		
APPLICATION SPEC		
WEIGHT	-	
CUSTOMER DRAWING		

TE TE Connectivity

CABLE ASSEMBLY, FIBER OPTIC, SINGLEMODE LDD, AMP SC DUPLEX (NG) TO FC (NG), OPTIMATE

SIZE	A2	CAGE CODE	00779	DRAWING NO	C=5492021	RESTRICTED TO	-
SCALE	NTS	SHEET	1 OF 1	REV	A1		

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)