

4 3 2 1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20

© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	RELEASED ECR-15-007714	16JUL2015	J. J	W. H

1.7
0.9 REF
0.67 REF
Ø1 REF
PICK UP AREA

CONNECTOR PROFILE

0.3
0.15 REF
1.9
0.85
1.1

2.94±0.1
1.35±0.1
2.4±0.1<ST>
1.4±0.1
2.1
4


1±0.1
1.7±0.1

RECOMMENDED P.C.B LAYOUT TOLERANCE ±0.05

Ø0.40
2X

SOLDERING SURFACE

1. PART NUMBER: 2286211-3.
 2. MATERIAL: COPPER ALLOY . THICKNESS=0.12MM.
 3. FINISH : 2um MIN. NICKEL UNDERLAYER ALL OVER .
 0.5um MIN. GOLD PLATING ON CONTACT AREA.
 0.05um MIN. GOLD PLATING ON SOLDER AREA .
 4. NORMAL FORCE: 0.8N MIN AT NORMAL HEIGHT 1.60 MM.
 5. WORKING RANGE: 1.40MM ~ 2.00 MM
 6. RECOMMENDED SOLDERING THICKNESS 0.10MM.
 7. FEATURES IDENTIFIED AS STATISTIACLLY TOLERANCED <ST>

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JONE JI 26MAR14	 TE Connectivity				
DIMENSIONS: mm		CHK WENKE HE 26MAR14					
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2		APVD WENKE HE 26MAR14	NAME HIGH CURRENT SPRING FINGER				
0-PLC ± 1-PLC ±0.3 2-PLC ±0.25 3-PLC ±0.15 4-PLC ±0.1 ANGLES ±		PRODUCT SPEC 108-115073	SIZE A3	CAGE CODE 00779	DRAWING NO C-2286211	RESTRICTED TO -	
MATERIAL -		FINISH -	WEIGHT -	SCALE 20:1		SHEET 1 OF 2	REV A1
		CUSTOMER DRAWING					

Downloaded From Oneyac.com

1470-19 (3/13)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

04MAR2004

© COPYRIGHT 04MAR2004 BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

18.4 REF
12.4
Ø 330

PEELING ANGLE
165°~180°
PEELING FORCE
0.1N~1.0N

WITH PRODUCT CHARGE
5000EA/REEL
NO EMPTY POCKETS
ARE PERMITTED

300MIN COVER TAPE
100mm MIN WITHOUT CHARGE

160mm MIN
WITHOUT CHARGE

➔ DIRECTION OF TOP OF REEL

⑪ 4±0.1
⑫ 1.75
⑬ 12±0.3
4.4 REF
PICK UP AREA

⑭ 0.4

SECTION A - A

- 3 ; AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN JONE JI 26MAR14

CHK WENKE HE 26MAR14

APVD WENKE HE 26MAR14

PRODUCT SPEC

108-115073

APPLICATION SPEC

WEIGHT -

TE Connectivity

NAME
HIGH CURRENT SPRING FINGER

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	-	C-2286211	-

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	± 0.2
	0-PLC ±
	1-PLC ±0.3
	2-PLC ±0.25
	3-PLC ±0.15
	4-PLC ±0.1
	ANGLES ±
MATERIAL	FINISH
SEE NOTE	SEE NOTE

CUSTOMER DRAWING SCALE 1:1 SHEET 2 OF 2 REV A1

Downloaded From Onevac.com

1470-19 (3/13)

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)