

4 3 2 1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
CM	53	AG4	REVISED PER ECR-21-101087	07MAY2021	PJ VS

1. PLATE OVERALL WITH 0.00127 [.000050] MIN NICKEL, THEN TIP PLATE WITH 0.00076 [.000030] MIN GOLD IN THE MATING AREA.

2. PLATE OVERALL WITH 0.00127 [.000050] MIN NICKEL, THEN PLATE IN THE MATING AREA AND STRIPE THE INSIDE OF THE WIRE BARREL WITH 0.00076 [.000030] MIN GOLD.

3. PLATE OVERALL WITH 0.00127 [.000050] MIN NICKEL, THEN FLASH ENTIRE TERMINAL WITH GOLD, THEN TIP PLATE WITH 0.00076 [.000030] MIN GOLD IN THE MATING AREA.

4. WIRE RANGE: 0.2 - 0.9 mm² [24 - 18 AWG] .

5. INSULATION RANGE: 2.54 [.100] MAX DIA.

6. APPLICATOR TYPE: MINI.

7. DIMENSIONS IN BRACKETS ARE IN INCHES.

FINISH	MATERIAL	PART NO
1	0.30 [.012] BRASS	61116-7
1	0.30 [.012] PH BRZ	61116-6
2	0.30 [.012] BRASS	61116-5
PRE-TIN	0.30 [.012] PH BRZ	61116-4
OBSELETE	0.30 [.012] PH BRZ	61116-3
-	0.30 [.012] BRASS	61116-2
PRE-TIN	0.30 [.012] BRASS	61116-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. BECK 2-18-93	TE Connectivity	
DIMENSIONS: MM [INCHES]		CHK R. SWING 2-18-93	NAME PIN, MATE-N-LOK™	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD C. MARTIN 2-24-93	PRODUCT SPEC -	
0 PLC ± -		APPLICATION SPEC -	SIZE A2	
1 PLC ± -		WEIGHT -	CAGE CODE 00779	DRAWING NO 61116
2 PLC ± 0.25 [.010]		CUSTOMER DRAWING	RESTRICTED TO -	REV AG4
3 PLC ± -		SCALE 5:1	SHEET 1 of 1	
4 PLC ± -				
ANGLES ± -				
FINISH SEE TABLE				

METRIC

1471-9 (3/11)

Downloaded From Onevac.com

61116

B

A

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)