



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A2	REVISED PER ECR-21-100963	11MAR2021	RZ	WK



- $\triangle 1$ ZINC PER QQ-Z-363
- $\triangle 2$ BERYLLIUM COPPER PER ASTM-B-196
- $\triangle 3$ PTFE PER MIL-P-19468
- $\triangle 4$ GOLD PLATE PER MIL-G-45204
0.76 μm [.000030] MINIMUM THICK.
- $\triangle 5$ TIN PLATE PER ASTM-B-545,
3.04 μm [.000120] MINIMUM THICK.
- 6. SEE INSTRUCTION SHEET 408-9889.
- $\triangle 7$ NICKEL PLATE PER QQ-N-290
5.08 μm [.000200] MINIMUM THICK.
- $\triangle 8$ PACKAGE: 100 PER BAG/CARTON
- $\triangle 9$ PACKAGE: 28 PER TRAY PACKAGE



PCB CONFIGURATION

$\triangle 9$	$\triangle 5$	1-6274291-1
$\triangle 8$	$\triangle 7$	6274291-2
$\triangle 8$	$\triangle 5$	6274291-1
SHELL FINISH		PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L. VARELA - DOCK5 02FEB2005	TE Connectivity	
DIMENSIONS: INCHES		CHK J. HAVENER 02FEB2005	NAME JACK, VERTICAL, PCB, 75 OHM, COMMERCIAL BNC	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. LIPPERT 02FEB2005	PRODUCT SPEC 108-12078	
0 PLC ± -		APPLICATION SPEC		
1 PLC ± -		WEIGHT 0.000000		
2 PLC ± 0.20 [.008]		SIZE A2 CAGE CODE 00779		
3 PLC ± -		DRAWING NO C-6274291		
4 PLC ± -		RESTRICTED TO		
ANGLES ± -		SCALE 5:1 SHEET 1 OF 1 REV A2		
FINISH		CUSTOMER DRAWING		
SEE NOTES 1 - 3		SEE NOTES 4, 5		

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)