



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
BD	35				
A		REVISED PER ECO-14-014457	24SEP2014	NK	MZ



- MATERIALS:
 METAL SHELL RECEPTACLE: ZINC ALLOY
 GROOVE PIN: STEEL
 RECEPTACLE: NYLON, BLACK
 CONTACT BODY: BRASS
 CONTACT SPRING: STAINLESS STEEL
 CONTACT POST: BRASS
- FINISHES:
 METAL SHELL RECEPTACLE: NICKEL PLATED
 GROOVE PIN: NICKEL PLATED
 CONTACT BODY: SELECT GOLD OVER NICKEL
 CONTACT POST: TIN OVER NICKEL



REAR MOUNTED PANEL CUTOUT



FRONT MOUNTED PANEL CUTOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	07JUN2014	NAGALAKSHMI K	
DIMENSIONS: mm [INCHES]		CHK	07JUN2014	ZITTO, MARK	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	07JUN2014	ZITTO, MARK	
0 PLC	± -	PRODUCT SPEC		108-10040	
1 PLC	± -	APPLICATION SPEC		-	
2 PLC	± 0.13[.005]	MATERIAL		SEE CALLOUT	
3 PLC	± -	FINISH		SEE CALLOUT	
4 PLC	± -	WEIGHT		-	
ANGLES	± -	CUSTOMER DRAWING		SCALE 2:1 SHEET 1 OF 2 REV A	

2267123-1
 PART NUMBER


TE TE Connectivity

POSTED RECEPTACLE ASSEMBLY, STD SEX, SERIES 1, 28-37, CMC


SIZE CAGE CODE DRAWING NO RESTRICTED TO
 A2 00779 C=2267123 -

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
BD	35	SEE SHEET 1	-	-	-		



REAR VIEW



DETAIL D
SCALE 10:1
TYP

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 07JUN2014 NAGALAKSHMI K	TE Connectivity		
DIMENSIONS: mm [INCHES]		CHK 07JUN2014 ZITTO, MARK			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 07JUN2014 ZITTO, MARK	NAME POSTED RECEPTACLE ASSEMBLY, STD SEX, SERIES 1, 28-37, CMC		
0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC 108-10040	SIZE A2	CAGE CODE 00779	DRAWING NO C=2267123
MATERIAL SEE CALLOUT		FINISH SEE CALLOUT	WEIGHT -	RESTRICTED TO -	
		CUSTOMER DRAWING		SCALE 2:1	SHEET 2 OF 2
				REV A	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)