

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

LOC
ALDIST
2

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	FIRST ISSUE	16FEB2010	AV	GT
	A1	REVISED PCB HOLES LAYOUT	04APR2011	AV	GT
	A2	REVISED PER ECR-13-009678	18SEP2013	RS	DD

TYPICAL APPLICATION

SECTION A - A
SCALE 2:1

PRINTED CIRCUIT BOARD LAYOUT
FOR LOW VOLTAGE VERSIONTOLERANCES UNLESS OTHERWISE SPECIFIED ± 0.05
PRINTED CIRCUIT BOARD THICKNESS: 1.6 mm NOMINAL

PRINTED CIRCUIT BOARD LAYOUT
FOR HIGH VOLTAGE VERSIONTOLERANCES UNLESS OTHERWISE SPECIFIED ± 0.05
PRINTED CIRCUIT BOARD THICKNESS: 1.6 mm NOMINAL

HIGH VOLTAGE

P/N 293652-1
KEYING HV-2P/N 293652-2
KEYING HV-3P/N 293652-3
KEYING HV-4P/N 293652-4
KEYING HV-5

LOW VOLTAGE

P/N 293652-5
KEYING LV-2

NOTE:

- TIN PLATED CONTACTS
- MATERIAL HOUSING PBT, 15%GFF, UL 94 V0

KEYING	REMARKS	PART NUMBER	COLOR
LV-2	LOW-VOLT 7A 42 V DC	293652-5	WHITE
HV-5	HIGH-VOLT 6A 125 V AC	293652-4	WHITE
HV-4	HIGH-VOLT 6A 125 V AC	293652-3	WHITE
HV-3	HIGH-VOLT 6A 125 V AC	293652-2	WHITE
HV-2	SWITCH-KEYING	293652-1	WHITE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R. FRABONI 20JUN2007CHK
J. SALO 11FEB2008APVD
L. BAILO 11FEB2008PRODUCT SPEC
108-20294APPLICATION SPEC
114-32102WEIGHT
-

CUSTOMER DRAWING

DIMENSIONS:
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	± 0.3
1 PLC	± 0.1
2 PLC	± 0.1
3 PLC	± 0.1
4 PLC	± 0.1
ANGLES	$\pm 0.5^\circ$

MATERIAL
-FINISH
-**STE**

TE Connectivity

NAME
7.5 mm PCB CONNECTOR ASSEMBLY
90 DEGREE MALE VERSION
FOR USA MARKET

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A300779 C-293652

SCALE
2:1

SHEET 1 OF 1

REV
A2

1470-19 (3/11)

Downloaded From Onevac.com

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)