

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
CM	00	D	REVISED PER ECR-20-000727	22MAY2020	PC SW

YES	38.10[1.500]	15	4-644565-5
YES	35.56[1.400]	14	4-644565-4
YES	33.02[1.300]	13	4-644565-3
YES	30.48[1.200]	12	4-644565-2
YES	27.94[1.100]	11	4-644565-1
YES	25.40[1.000]	10	4-644565-0
YES	22.86[.900]	9	3-644565-9
YES	20.32[.800]	8	3-644565-8
YES	17.78[.700]	7	3-644565-7
YES	15.24[.600]	6	3-644565-6
YES	12.70[.500]	5	3-644565-5
YES	10.16[.400]	4	3-644565-4
YES	7.62[.300]	3	3-644565-3
YES	5.08[.200]	2	3-644565-2

NO	38.10[1.500]	15	1-644565-5
NO	35.56[1.400]	14	1-644565-4
NO	33.02[1.300]	13	1-644565-3
NO	30.48[1.200]	12	1-644565-2
NO	27.94[1.100]	11	1-644565-1
NO	25.40[1.000]	10	1-644565-0
NO	22.86[.900]	9	-644565-9
NO	20.32[.800]	8	-644565-8
NO	17.78[.700]	7	-644565-7
NO	15.24[.600]	6	-644565-6
NO	12.70[.500]	5	-644565-5
NO	10.16[.400]	4	-644565-4
NO	7.62[.300]	3	-644565-3
NO	5.08[.200]	2	-644565-2

7 SUPERSEDED

8 SUPERSEDED

7 SUPERSEDED

8 SUPERSEDED

7 SUPERSEDED

1 MATERIAL: CONNECTOR - NYLON UL94V-2 (GREEN).
 CONTACTS - 0.30[.012] THICK COPPER ALLOY
 BRIGHT TIN-LEAD .00203[.000080] MIN THICKNESS
 FOR 644565-2 THRU 2-644565-8.
 MATTE WHISKER MITIGATED TIN .00203[.000080] MIN THICKNESS OVER
 NICKEL UNDERPLATE FOR 3-644565-2 THRU 4-644565-5.

2 CONTACTS ACCEPT 28 AWG WIRE WITH 1.52[.060] MAX
 INSULATION DIAMETER.

3 CONTACTS MUST ACCEPT 0.64±0.03[.025±.001] SQUARE
 POST AND REMAIN LOCKED IN POSITION.

4 IDENTIFICATION NUMBER FOR LAST CIRCUIT MAY
 NOT APPEAR ON ALL ASSEMBLIES.

5 DIMENSIONS IN BRACKETS ARE IN INCHES.

6 HOUSING FEATURES ARE: FEED THRU WITH
 LOCKING RAMP AND WITH POLARIZING TAB.

7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER
 D.RENAUD/D.SINISI

8 OBSOLETE PARTS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. CARPENTER 08AUG2003		
DIMENSIONS: mm [INCHES]		CHK D. BOSSI 08AUG2003		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. BOSSI 08AUG2003	NAME	
0 PLC ±		PRODUCT SPEC		MTA 100 CONNECTOR ASSEMBLY, 28 AWG, STANDARD
1 PLC ±		APPLICATION SPEC		
2 PLC ±		108-1050		SIZE
3 PLC ± 0.13 [.005]		114-1019		CAGE CODE
4 PLC ±		WEIGHT		DRAWING NO
ANGLES ±		A2 00779		RESTRICTED TO
FINISH		C=644565		SCALE
1		CUSTOMER DRAWING		5:1
		SHEET		1 of 1
		REV		D

1471-9 (3/11)

Downloaded From Onezac.com

644565

644565

A

A/C BUSINESS GROUP 3323 177-34 NICK GANNON

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)