

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

© COPYRIGHT - By -

LOC

DIST

REVISIONS

AF

50

P	LTR	DESCRIPTION	DATE	DWN	APVD
M10		REVISED PER ECR-19-006969	22AUG2019	BDA	DS

SUGGESTED MATING TAB

SHOULDER MAY BE ELIMINATED
IF NOT FEASIBLE

11.30 [.445] MIN CLEARANCE

1.02 [.040] / 0.76 [.030]

0.25 [.010] MAX CUT-OFF

8.25 [.325] MIN

6.43 [.253] / 6.27 [.247]

2.03 [.080] / 1.65 [.065] DIA HOLE

1.14 [.045] / 0.89 [.035] x 45°

3.48 [.137] / 3.33 [.131]

4.72 [.186] / 4.32 [.170]

8.05 [.317] / 7.80 [.307]

0.84 [.033] / 0.79 [.031]

0.13 [.005] R MAX BOTH SIDES

10° ±2'

1 - MATL: ½ H BRASS OR NICKEL PL STEEL.

2 - NO BURRS PERMISSIBLE AT HOLE.

3 - MUST BE FLAT WITHIN 0.076 [.003]
OVER THIS LENGTH.4 - TIN PLATING IS REQUIRED ON BRASS
WHEN TERMINAL TEMP. IS OVER 225° F5 - HOLE MUST BE SYMMETRICAL ABOUT TAB
Q WITHIN 0.076 [.003]* TO BE USED ONLY WHEN SHOULDER
IS ELIMINATED.

1 ALL DIMENSIONS APPLY TO A MOISTURIZED HOUSING.

2 PRELIMINARY - NOT FOR PRODUCTION

3 OFFERED FOR CONSIDERATION IN "NON-DRIP"
HOUSING MATERIAL APPLICATIONS.4 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING I
PER D.RENAUD/D.SINIS

5 PREPRODUCTION-FASR REQUIRED

1.030 MAX

.392 MAX

.255 MAX

4.80 [.189]

3D VIEW

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JR RUTH	7/3/96		TE Connectivity																	
DIMENSIONS: mm [INCHES]		CHK	MS FEHER	7/3/96		NAME																	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	J GILLISPIE	7/3/96		HOUSING, RECEPTACLE, POSITIVE-LOCK, MKIII, 6.35 [.250] SERIES																	
<table border="1"> <tr><td>0 PLC</td><td>±</td><td>-</td></tr> <tr><td>1 PLC</td><td>±</td><td>-</td></tr> <tr><td>2 PLC</td><td>±</td><td>0.25 [.010]</td></tr> <tr><td>3 PLC</td><td>±</td><td>-</td></tr> <tr><td>4 PLC</td><td>±</td><td>-</td></tr> <tr><td>ANGLES</td><td>±</td><td>-</td></tr> </table>		0 PLC	±	-		1 PLC	±	-	2 PLC	±	0.25 [.010]	3 PLC	±	-	4 PLC	±	-	ANGLES	±	-	PRODUCT SPEC	-	
0 PLC	±	-																					
1 PLC	±	-																					
2 PLC	±	0.25 [.010]																					
3 PLC	±	-																					
4 PLC	±	-																					
ANGLES	±	-																					
MATERIAL SEE TABLE		FINISH	SEE TABLE			WEIGHT	-																
CUSTOMER DRAWING		SCALE	5:1	SHEET	1 OF 2	REV	M10																

1471-9 (3/11)

Downloaded From Onevac.com

521120

B

A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1	-	-	-

COLOR	MATERIAL	PART NO
NATURAL	66 NYLON, V0 NATURAL, GWT	3-521120-1
BROWN	66/6 NYLON, V0	2-521120-5
YELLOW	66/6 NYLON, V0	2-521120-4
GREEN	66/6 NYLON, V0	2-521120-3
RED	66/6 NYLON, V0	2-521120-2
BLUE	66/6 NYLON, V0	2-521120-1
BROWN	6/6 NYLON, V2	△5 2-521120-0
YELLOW	6/6 NYLON, V2	△5 1-521120-9
GREEN	6/6 NYLON, V2	△5 1-521120-8
NATURAL	6/6 NYLON, V2	△5 1-521120-7
BLACK	66/6 NYLON, V0	1-521120-6
NATURAL	△3 66/6 OR 66 NYLON, V0	△2 1-521120-5
NATURAL	6/6 NYLON, V0	△2 1-521120-4
NATURAL	66/6 OR 66 NYLON, V0	1-521120-3
△4 OBSOLETE YELLOW	6/6 NYLON	1-521120-2
△4 OBSOLETE BLUE	6/6 NYLON	1-521120-1
△4 OBSOLETE GREEN	6/6 NYLON	1-521120-0
△4 OBSOLETE RED	6/6 NYLON	-521120-9
△4 OBSOLETE BLACK	6/6 NYLON	521120-8
△4 OBSOLETE NATURAL	6/6 NYLON	521120-7
△4 OBSOLETE BLACK	4/6 NYLON	521120-6
△4 OBSOLETE RED	6/6 NYLON	521120-5
△4 OBSOLETE BLUE	6/6 NYLON	521120-4
△4 OBSOLETE PUTTY	6/6 NYLON	-521120-2
△4 OBSOLETE NATURAL	6/6 NYLON	521120-1
COLOR	MATERIAL	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JR RUTH 7/3/96	STE TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK MS FEHER 7/3/96		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J GILLISPIE 7/3/96	NAME HOUSING, RECEPTACLE, POSITIVE-LOCK, MKIII, 6.35 [.250] SERIES	
0 PLC ± -		PRODUCT SPEC	RESTRICTED TO	
1 PLC ± -		APPLICATION SPEC	SIZE	CAGE CODE
2 PLC ± 0.25 [.010]		FINISH	A2	00779
3 PLC ± -		WEIGHT	C=521120	
4 PLC ± -		CUSTOMER DRAWING	SCALE	SHEET
ANGLES ± -			5:1	2 of 2
MATERIAL SEE TABLE				REV M10

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)