

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-- --

LOC

DIST

REVISIONS

© COPYRIGHT - By Tyco Electronics JAPAN G.K.

ALL RIGHTS RESERVED.

J

-

P

LTR

DESCRIPTION

DATE

DWN

APVD

F3

REVISED

ECR-15-009698

26JUN2015

TS

HY

0.5MAX. (CUT OFF TAB)  
0.5最大 (カットオフタブ)

φ1.5

A

2.5

1.8

1.2

0.35

2.55

0.8

1.4

0.7

A

C

2.5

13.4

11.8

(10.5)

7

3.5

4.5

B

B

C

2.73±0.4

2.8±0.4

B-B

3.5±0.4

3.2±0.4

C-C

A-A

1. APPLICATION SPEC NO. 114-5160

1. 取付適用規格番号 114-5160

FJPI-175269-2	BRASS	-	PRE-TIN	175269-2
FJPI-175269-1	BRASS	179425-1	PRE-TIN	175269-1
PACKING INSTRUCTION NUMBER	MATERIAL	LOOSE PIECE CONTACT PN	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN T.SHINOHARA 05JUL2012

CHK K.BETSUI 05JUL2012

APVD K.BETSUI 05JUL2012

PRODUCT SPEC

APPLICATION SPEC

SEE NOTE

WEIGHT 0.33 g

CUSTOMER DRAWING

TE Connectivity

NAME

070II SERIES M RECEPTACLE CONTACT

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=175269

SCALE

5:1

SHEET

1 of 1

REV

F3

TOLERANCES UNLESS OTHERWISE SPECIFIED:

一般公差

10 ≥	: ±0.2
30 ≥ > 10	: ±0.25
100 ≥ > 30	: ±0.3
ANGLE : ±3°	

DIMENSIONS: mm

MATERIAL  
SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	± -
2 PLC	± -
3 PLC	± -
4 PLC	± -
ANGLES	± -

FINISH  
SEE TABLE

抱合電線断面積 (WIRE RANGE)  
0.56~1.29 mm<sup>2</sup> (AWG#20-#16)

被覆外径 (INSULATION DIA.)  
1.8~2.6 mmφ

1470-19 (3/11)

Downloaded From [Oneyac.com](http://Oneyac.com)

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)