





LOC		DIST		REVISIONS			
AD	00	REV	DATE	BY	CHK	APPV	
G	EC	063C	0058	05	03MAR05	BSV JRO	
G1	REVISED PER ECO	-09	-021826		14SEP09	KK AEG	



- 1 HOUSING MATERIAL: GLASS-FILLED, FLAME-RETARDANT, POLYESTER.
- 2 CONTACT MATERIAL : PHOSPHOR BRONZE.
- 3 CONTACT FINISH: DUPLEX PLATED .000030 GOLD ON CONTACT AREA, .000150-.000300 BRIGHT TIN-LEAD ON SOLDER LEADS, ALL OVER .000050 MINIMUM NICKEL
- 4 DATE CODE AND PART NUMBER ARE MARKED IN APPROXIMATE LOCATION SHOWN.
- 5 DIMENSIONS PERTAIN TO CAVITY CENTERLINES.
- 6 POINT OF MEASUREMENT FOR PLATING THICKNESS OF CONTACT AREA.
- 7. CONTACTS SHALL MEET AN AVERAGE INSERTION FORCE OF 2,75 OUNCES OR LESS AND MIN WITHDRAWAL FORCE OF 0.5 OUNCES.
- 8 MOLDED IN ARROW DESIGNATES THE MATING FACE OF THE CONNECTOR.
- 9 CONTACT FINISH: DUPLEX PLATED .000030 GOLD ON CONTACT AREA, .000150-.000300 MATTE TIN ON SOLDER LEADS, ALL OVER .000050 MINIMUM NICKEL
- 10 ROHS 2002/95/EC COMPLIANT
- 11 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



RECOMMENDED PC BOARD LAYOUT

11	OBSOLETE	3	63.50 [2.500]	67.06 [2.640]	52	10	5-535593-1
		3	63.50 [2.500]	67.06 [2.640]	52		535593-1
	FINISH		B	A	NO OF POSN		PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DIN R BROWN 9/4/96	9/4/96	Tyco Electronics Corporation Harrisburg, Pa 17105-3608
0 PLC ± -	1 PLC ± -	CHK J GEFSEFORD 9/4/96	9/4/96	NAME: D SARVER 9/4/96
2 PLC ± -	3 PLC ± -	APVD	APVD	NAME: RECP. ASSY., MOD II, HORIZ., .100 CL DOUBLE ROW CONTACT, HIGH TEMPERATURE, HIGH STANDOFFS.
4 PLC ± -	ANGLES ± -	APPLICATION SPEC	SIZE	CAGE CODE
			A1	00779
MATERIAL	FINISH	WEIGHT	SCALE	SHEET
1 2	3 9	-	5:1	1 of 1
CUSTOMER DRAWING		DRAWING NO	REV	G1
		A1	00779	535593

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)