



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
F7		ECR-19-014657	13DEC2020	RR	SZ




△ MATERIAL:  
 HOUSING - NYLON, COLOR: BLACK, UL94V-0.  
 OVERMOLDED TERMINAL ARRAY - HTN, BROWN.  
 TERMINALS-.013 [0.33] THICK PHOS BRONZE  
 PLATED WITH .000050 [1.27µm] THICK HARD  
 GOLD IN LOCALIZED AREA AND .000150 [3.81 µm] MIN  
 THICK MATTE TIN IN SOLDER AREA OVER .000050  
 [1.27 µm] MIN THICK NICKEL UNDERPLATE  
 SHIELDS - .010 [0.254] THICK COPPER ALLOY  
 PLATED WITH 1.27 µm [0.00050] MINIMUM NICKEL  
 AND 2.03 µm [0.00080] MINIMUM HOT TIN DIP ON  
 PCB GROUND TABS.

△ JACK CAVITY CONFORMS TO FCC RULES AND  
 REGULATIONS, PART 68 SUBPART F.  
 3. ALL DIMENSIONS SHOWN ARE NOMINAL UNLESS  
 OTHERWISE SPECIFIED.  
 4. ALL DIMENSIONS SHOWN IN BRACKETS [ ] ARE  
 IN MILLIMETERS.

△ THIS HOLE IS NEEDED FOR -1 AND -3 ONLY.  
 △ THIS TAB REMOVED ON -2.  
 △ THE PART IS PRELIMINARY

△ MATERIAL:  
 HOUSING - NYLON, COLOR: BLACK, UL94V-0.  
 OVERMOLDED TERMINAL ARRAY - PBT, BROWN.  
 TERMINALS-.013 [0.33] THICK PHOS BRONZE  
 PLATED WITH .000050 [1.27µm] THICK HARD  
 GOLD IN LOCALIZED AREA AND .000150 [3.81 µm] MIN  
 THICK MATTE TIN IN SOLDER AREA OVER .000050  
 [1.27 µm] MIN THICK NICKEL UNDERPLATE  
 SHIELDS - .010 [0.254] THICK COPPER ALLOY  
 PLATED WITH 1.27 µm [0.00050] MINIMUM NICKEL  
 AND 2.03 µm [0.00080] MINIMUM HOT TIN DIP ON  
 PCB GROUND TABS.

△ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING  
 PER D.RENAUD/D.SINISI



△	DIM B (INCHES)	DIM A (INCHES)	DESCRIPTION	PART NO.
△	.128±.010	.128±.010	WITH REAR PC BOARD GROUND TAB	5406491-5
△	.128±.010	.128±.010	WITH REAR PC BOARD GROUND TAB	5406491-4
△	.155	.140±.015	WITHOUT REAR PC BOARD GROUND TAB	5406491-2
△	.155	.140±.015	WITH REAR PC BOARD GROUND TAB	5406491-1




FOR P/N:5406491-1&-2  
 SUGGESTED PC BOARD LAYOUT  
 COMPONENT SIDE  
 SEE APPLICATION SPECIFICATION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	13DEC2020	TE Connectivity	NAME Denny Zhu APVD Steven Yao PRODUCT SPEC 108-1163-2 APPLICATION SPEC 114-2048
CHK	14APR2009		
MATERIAL			
FINISH			

SIZE	A2	CAGE CODE	00779	DRAWING NO	C=5406491	RESTRICTED TO	-
SCALE	1:1	SHEET	1 of 2	REV	F7		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



FOR P/N:5406491-4;-5  
 SUGGESTED PC BOARD LAYOUT  
 COMPONENT SIDE  
 SEE APPLICATION SPECIFICATION

UNMARKED DIMENSIONS SAME AS P/N:5406491-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	13DEC2020		<b>TE</b> TE Connectivity
DIMENSIONS: mm		CHK	-		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	-		NAME
0 PLC ± -		PRODUCT SPEC	-		MODULAR JACK, PANEL GROUND, 8P, RIGHT ANGLE
1 PLC ± -		APPLICATION SPEC	-		SHEILED, CAT 5e
2 PLC ± -		WEIGHT	-		SIZE
3 PLC ± -		CUSTOMER DRAWING	-		A2
4 PLC ± -		SCALE	1:1		CAGE CODE
ANGLES ± -		SHEET	2 OF 2		00779
FINISH		REV	F7		DRAWING NO
-		RESTRICTED TO	-		C=5406491

5406491

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)