

4 3 2 1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION AUG ,2006.
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			DATE	DWN	APVD
DW		/		P	LTR	DESCRIPTION	17DEC08	BH	WK
				A	RELEASED				

NOTE:

- MATERIAL:
 INSERT HOUSING: PA46 WITH 30% GF, UL 94V-0, BLACK COLOR.
 HOUSING: PA9T WITH 30% GF, UL 94V-0, BLACK COLOR.
 CONTACTS: PHOSPHOR BRONZE.
 SHELL: BRASS.
 MYLAR: SILICONE POLYMER.
- FINISH:
 CONTACTS: 0.152µm [6µ"] MIN. GOLD PLATED ON CONTACT AREA, GOLD FLASH ON SOLDER TAIL, WITH ENTIRE CONTACT UNDERPLATED 1.27µm [50µ"] MIN. NICKEL.
 SHELL: 0.508µm [20µ"] MIN. NICKEL PLATED.
- RECOMMENDED PCB THICKNESS: 1.2mm.
- REFLOW SOLDER CAPABLE TO 260°C PER TE SPEC 109-201, CONDITION B.

TE LOGO & DATE CODE

14.28±0.25

2.0

2.8

0.5

12.04±0.25

9.88

8.5

1.02

1.40 2 PLC

6.83

8.52

11.5±0.25

6.00 2 PLC

1.5±0.3 2 PLC

4.06

6.60

13.40

15.1

Φ OF 9.88

11.4

1.3

3.5

PIN 1

0.46±0.05 2 PLC

1.02

6.6

9.9

MYLAR ATTACHED (UNDER SHELL)

0.35 2 PLC

0.10 2 PLC

0.80 2 PLC

2.2 2 PLC

4.58

2.38

3.18

6.08±0.25

7.40 2 PLC

Ø1.60 2 PLC

15.10

9.90

7.00 MIN.

1.02

SEE DETAIL A

Ø1.80

0.10 X Y 2 PLC

MAX.R0.5

2.75 MAX.

1.95 MAX.

0.62

0.06 Y 2 PLC

1.8

2.2 2 PLC

7.40

KEEP OUT AREA

2.4

PCB EDGE

(1.12)

(0.85)

0.60 2 PLC

11.70 MIN.

CONNECTOR OUTLINE

RECOMMENDED PCB LAYOUT 1
 TOLERANCE:±0.05mm (TOP VIEW)

1.02

0.31 2 PLC

2.2 2 PLC

1.16 2 PLC

DETAIL A
 (OTHERS SAME AS RECOMMENDED PCB LAYOUT 1)

RECOMMENDED PCB LAYOUT 2
 TOLERANCE:±0.05mm (TOP VIEW)

2041075-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	B. HSING	17DEC2008	Tyco Electronics Corporation Tyco Electronics Taipei, Taiwan	
DIMENSIONS: MM		CHK	S. CHIEN	17DEC2008	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	W. KODAMA	17DEC2008	PRODUCT SPEC	
0 PLC ± -		108-57722		QUALIFICATION TEST REPORT		
1 PLC ± 0.30		501-57934		SIZE	CAGE CODE	DRAWING NO
2 PLC ± 0.20		1.65 GRAMS		A3	-	©=2041075
3 PLC ± 0.15		CUSTOMER DRAWING		RESTRICTED TO		
4 PLC ± -				SCALE		
ANGLES ± -				SHEET 1 OF 2		
MATERIAL SEE NOTE		FINISH SEE NOTE		REV A		

AMP 1470-19 REV 31MAR2000

Downloaded From Oneyac.com

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.

4.8 Kg	2.8 Kg	200	8	1600 PCS
GROSS WEIGHT (Ref.)	NET WEIGHT (Ref.)	PCS/REEL	REELS/BOX	QUANTITY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		Tyco Electronics Corporation Tapei, Taiwan	
DIMENSIONS: MM		CHK		NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD		MODULAR JACK, RJ11 SINGLE, SMT TYPE, RVS TYPE	
0 PLC ± -		PRODUCT SPEC		SIZE	
1 PLC ± -		APPLICATION SPEC		CAGE CODE	
2 PLC ± -		WEIGHT		DRAWING NO	
3 PLC ± -		CUSTOMER DRAWING		C=2041075	
4 PLC ± -		SCALE		RESTRICTED TO	
ANGLES ± -		SHEET		REV	
FINISH		2 OF 2		A	

AMP 1470-19 REV 31MAR2000

Downloaded From Oneyac.com

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)