





LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DWN	APVD
ES	00						
		C2		ADD NEW PART 6450841-6	19MAY2011	AY	SZ
		C3		ADD NEW DASH NUMBER -8	22APR2014	AL	SZ
		C5		ADD NEW DASH NUMBER -9	21JUN2014	CZ	SZ



- 1 "AMP", PART NUMBER, AND DATECODE TO BE MARKED IN AREA SHOWN. PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, BLACK, UL94 V-0
SIGNAL CONTACT - COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 DIA HOLE.
- 9 FOR CONFIGURATION S/LP/P, PLEASE SEE SHEET 2.



C4	DIM T	DIM W	DIM V	DIM R	DIM U	DIM S	DIM D	DIM L	DIM K	DESCRIPTION	PART NUMBER
-	-	2.200	.695	2.090	.300	2.300	2.440	.095		20S + 5ACP	6450841-9
-	-	2.250	.570	2.140	.200	2.350	2.490	.095		16S + 8HDP	6450841-8
-	-	2.700	-	2.590	-	2.800	2.940	.095		100S	6450841-6
-	-	1.800	.770	1.690	.250	1.900	2.040	.095		24S + 4P	6450841-5
-	-	.600	-	.490	-	.700	.840	.095		16S	6450841-4
9	.115	1.4525	4.830	1.775	4.720	.250	4.930	5.070	.095	52S + 2LP + 12P	6450841-2
-	-	3.600	1.070	3.490	.250	3.700	3.840	.145		32S + 10P	6450841-1
										DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±.13
2 PLC	±.13
3 PLC	±.0020
4 PLC	±
ANGLES	±.7°

MATERIAL: - FINISH: -

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: VINCENT QIAO 15AUG2008, CHK: SUNY ZHAO 15AUG2008, APVD: S. YAO 15AUG2008


NAME: RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

PRODUCT SPEC: 108-2292, APPLICATION SPEC: 114-13038, WEIGHT: -

SIZE: A100779, CAGE CODE: 6450841, SCALE: 1:1, SHEET: 1 OF 6, REV: C5

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DMN	APVD
		-		SEE SHEET 1			





FOR CONFIGURATION S/LP/P, OTHER DIMENSIONS PLEASE SEE SHEET 1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN VINCENT QIAO 15AUG2008	TE Connectivity
DIMENSIONS: INCHES		CHK SUNY ZHAO 15AUG2008	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±. 2 PLC ±.13 3 PLC ±0.0020 4 PLC ±. ANGLES ±2° FINISH		APVD S. YAO 15AUG2008	NAME
		PRODUCT SPEC	RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE
MATERIAL		APPLICATION SPEC	RESTRICTED TO
		114-13038	SIZE CAGE CODE DRAWING NO
		WEIGHT	A100779C=6450841
		CUSTOMER DRAWING	SCALE 1:1 SHEET 2 OF 6 REV C5

LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	OWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL								POWER									
		1	2	3	4	5	6	7	8	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10
6450841-1	D C B A	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	TT	TT	TT	TT	TT	TT	TT	TT	TT	TT
		Y5	Y5	Y5	Y1	Y1	Y5	Y5	Y5										
		R5	R5	R5	R1	R1	R5	R5	R5										
		O5	O5	O5	O5	O5	O5	O5											
32S + 10P		HD		HD															

PART NUMBER	ROWS	SIGNAL													POWER													
		1	2	3	4	5	6	7	8	9	10	11	12	13	LPI	LP2	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12
6450841-2	D C B A	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	LT	LT	TT	TT	TT	TT	TT	TT	TT	TT	TT	TT	TT	TT
		Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5														
		R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5														
		O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5															
52S + 2LP + 12P		HD		HD																								



DESCRIPTION	IDENTIFIER
HOLD DOWN	HD
.120 SIGNAL MLBF PRESS FIT CON, ROW A	O1
.120 SIGNAL MLBF PRESS FIT CON, ROW B	R1
.120 SIGNAL MLBF PRESS FIT CON, ROW C	Y1
.120 SIGNAL MLBF PRESS FIT CON, ROW D	Z1
.120 SIGNAL PRESS FIT CON, ROW A,STD	O5
.120 SIGNAL PRESS FIT CON, ROW B,STD	R5
.120 SIGNAL PRESS FIT CON, ROW C,STD	Y5
.120 SIGNAL PRESS FIT CON, ROW D,STD	Z5
.120 PRESS FIT LOW POWER CON	LT
.120 PRESS FIT POWER CON	TT

THIS DRAWING IS A CONTROLLED DOCUMENT. DWG: VINCENT QIAO 15AUG2008
 CHK: SUNY ZHAO 15AUG2008
 APVD: S. YAO 15AUG2008

STE TE Connectivity

NAME: RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE



PRODUCT SPEC: 108-2292
 APPLICATION SPEC: 114-13038

SIZE: A100779 C=6450841
 SCALE: 1:1 SHEET 3 OF 6 REV: C5

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL			
		1	2	3	4
6450841-4	D	Z5	Z5	Z5	Z5
	C	Y5	Y5	Y5	Z5
	B	R5	R5	R5	R5
	A	05	05	05	05


PART NUMBER	ROWS	SIGNAL						POWER			
		1	2	3	4	5	6	P1	P2	P3	P4
6450841-5	D	Z5	Z5	Z5	Z5	Z5	Z5	TT	TT	TT	TT
	C	Y5	Y5	Y5	Y5	Y5	Y5				
	B	R5	R5	R5	R5	R5	R5				
	A	05	05	05	05	05	01				



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: VINCENT QIAO 15AUG2008	 TE Connectivity
DIMENSIONS: INCHES		CHK: SUNY ZHAO 15AUG2008	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: S. YAO 15AUG2008	
0 PLC ±.0005 1 PLC ±.0005 2 PLC ±.0005 3 PLC ±.0005 4 PLC ±.0005 ANGLES ±.2° FINISH		NAME: RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE PRODUCT SPEC: 108-2292 APPLICATION SPEC: 114-13038 WEIGHT: - CUSTOMER DRAWING	
MATERIAL: -		SIZE: A100779	CAGE CODE: 6450841 SCALE: 1:1 SHEET: 4 OF 6 REV: C5

LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL																								
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
6450841-6	D	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5
	C	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5
	B	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5
	A	HD	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5





THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN VINCENT QIAO 15AUG2008	TE Connectivity										
DIMENSIONS: INCHES		CHK SUNY ZHAO 15AUG2008											
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. YAO 15AUG2008	NAME										
<table border="1"> <tr><td>0 PLC</td><td>±</td></tr> <tr><td>1 PLC</td><td>±.13</td></tr> <tr><td>2 PLC</td><td>±.13</td></tr> <tr><td>3 PLC</td><td>±0.0020</td></tr> <tr><td>4 PLC</td><td>±</td></tr> </table>		0 PLC	±	1 PLC	±.13	2 PLC	±.13	3 PLC	±0.0020	4 PLC	±	PRODUCT SPEC 108-2292	RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE
0 PLC	±												
1 PLC	±.13												
2 PLC	±.13												
3 PLC	±0.0020												
4 PLC	±												
MATERIAL		APPLICATION SPEC 114-13038	RESTRICTED TO										
FINISH		WEIGHT	SIZE CAGE CODE DRAWING NO. A100779C=6450841										
CUSTOMER DRAWING		SCALE 1:1	SHEET 5 OF 6 REV C5										

LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD		
-	-	SEE SHEET 1	-	-	-		

PART NUMBER	ROWS	SIGNAL				POWER								
		1	2	3	4	P1	P2	P3	P4	P5	P6	P7	P8	
6450841-8	D	Z5	Z5	Z5	Z5	TT	TT	TT	TT	TT	TT	TT	TT	TT
	C	Y5	Y5	Y5	Y5									
	B	R5	R5	R5	R5									
	A	O5	O5	O5	O5									
16S + 8HDP														

PART NUMBER	ROWS	SIGNAL					POWER				
		1	2	3	4	5	P1	P2	P3	P4	P5
6450841-9	D	Z5	Z5	Z5	Z5	Z1					
	C	Y5	Y5	Y5	Y5	Y1	TT	TT	TT	TT	TT
	B	R5	R5	R5	R5	R1					
	A	O5	O5	O5	O5	O1					
20S + 5ACP											



THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN	VINCENT QIAO	15AUG2008	TE Connectivity
DIMENSIONS: INCHES		CHK	SUNY ZHAO	15AUG2008	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	S. YAO	15AUG2008	NAME
0 PLC ±		PRODUCT SPEC		RIGHT ANGLE HEADER	
1 PLC ±13		APPLICATION SPEC		W/ LP CONTACT AND SHORT END MODULES	
2 PLC ±0.0020		MATERIAL		MULTI-BEAM XLE	
3 PLC ±		FINISH		SIZE	
4 PLC ±		CUSTOMER DRAWING		CAGE CODE DRAWING NO	
ANGLES ±2°		SCALE		RESTRICTED TO	
MATERIAL		SCALE		A100779C=6450841	
FINISH		SCALE		SHEET 6 OF 6	
MATERIAL		SCALE		REV C5	
FINISH		SCALE		REV C5	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)