



LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
J	/	A	RELEASED	01DEC09	J.T Y.N





- NOTE
- 1.MATERIAL HOUSING,SLIDER : THERMOPLASTIC RESIN  
UL94V-0, COLOR;BLACK  
CONTACT : COPPER ALLOY  
SHELL : COPPER ALLOY  
COIL : SWP  
CAM ROD : STAINLESS STEEL  
HOOK SPRING : STAINLESS STEEL
  - 2 FINISH CONTACT : Ni UNDER PL  
Au PL AT CONTACT AREA  
Au PL AT SOLDERING AREA  
SHELL : Ni UNDER PL  
Au PL AT SOLDERING AREA
  - △ NON-CUMULATIVE TOLERANCE
  4. COPLANARITY IS 0.1MAX.
  - △ CIRCUIT DRAWING OF SWITCH.
  6. OVERALL TOLERANCE:±0.1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J.TSUJI	01DEC2009	Tyco Electronics AMP K.K. Kawasaki,Japan	
DIMENSIONS: MM		CHK Y.NAKAZAWA	01DEC2009	NAME MICRO SD WITH SWITCH PUSH-PUSH TYPE CI-1	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD Y.NAKAZAWA	01DEC2009	PRODUCT SPEC 108-78680	
0 PLC ± -		APPLICATION SPEC		SIZE	RESTRICTED TO
1 PLC ± -		WEIGHT		CAGE CODE	-
2 PLC ± -		0.31g		DRAWING NO	
3 PLC ± -		CUSTOMER DRAWING		SCALE	-
4 PLC ± -		MATERIAL		SHEET	
ANGLES ± -		FINISH		1 of 3	REV
PART NUMBER		1554304-1		5:1	A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION APR , 2009.  
 © COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.




LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
J	/	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	-	Tyco Electronics		Tyco Electronics AMP K.K.	
DIMENSIONS: MM		CHK	-	NAME		Kawasaki.Japan	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	-	MICRO SD WITH SWITCH PUSH-PUSH TYPE CI-1			
0 PLC ± -		PRODUCT SPEC	-	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
1 PLC ± -		APPLICATION SPEC	-	A3	00779	G-1554304	-
2 PLC ± -		WEIGHT	-	CUSTOMER DRAWING		SCALE	SHEET
3 PLC ± -			-			2:1	2 OF 3
4 PLC ± -			-				REV
ANGLES ± -			-				A
FINISH			-				


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION APR , 2009.  
 © COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
J	/	SEE SHEET 1	-	-	-



カバーテープリーダー部  
外周1巻  
WIDE COVER TAPE AROUND  
OUT PERIPHERY 1 TURN

剥離強度 0.1-1.3N MAX(300±10mm/min)  
PEELING STRENGTH  
剥離角度 165~180°  
PEELING ANGLE



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics AMP K.K.		
		CHK	Kawasaki.Japan		
DIMENSIONS: MM		APVD	NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	MICRO SD WITH SWITCH PUSH-PUSH TYPE CI-1		
MATERIAL		APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO
		WEIGHT	A3	00779	C-1554304
		CUSTOMER DRAWING		SCALE	SHEET
				2:1	3 OF 3
				REV	A

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)