



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - TE Connectivity Ltd. ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	H2	REVISED PER ECR-17-018757	25APR2018	BDA	SG



△ MATERIAL: CONNECTOR-NYLON UL94V-0 (BLACK).
 CONTACTS-0.30 [.012] THICK COPPER ALLOY
 BRIGHT TIN-LEAD 0.00203 [.000080] MIN THICK FOR CONTACTS
 643828-2 THRU 1-643828-5
 MATTE WHISKER MITIGATED TIN PLATE 0.00203 [.000080] MIN THICK
 OVER 0.00076 [.000030] MIN THICK NICKEL FOR CONTACTS
 3-643828-2 THRU 4-643828-5.

- 2. CONTACTS ACCEPT 26 AWG WIRE WITH 1.52 [.060] MAX INSULATION DIAMETER.
- 3. CONTACTS MUST ACCEPT 0.64 ± 0.03 [.025 ± .001] SQUARE POST AND REMAIN LOCKED IN POSITION.
- △ IDENTIFICATION NUMBER FOR LAST CIRCUIT MAY NOT APPEAR ON ALL ASSEMBLIES.
- 5. DIMENSIONS IN BRACKETS ARE IN INCHES.

- 6. HOUSING FEATURES ARE: CLOSED END WITH LOCKING RAMP.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- △ OBSOLETE PARTS

LEAD	LEAD	NO. OF POSN	ASSEMBLY
38.10	[1.500]	15	4-643828-5
35.56	[1.400]	14	4-643828-4
33.02	[1.300]	13	4-643828-3
30.48	[1.200]	12	4-643828-2
27.94	[1.100]	11	4-643828-1
25.40	[1.000]	10	4-643828-0
22.86	[.900]	9	3-643828-9
20.32	[.800]	8	3-643828-8
17.78	[.700]	7	3-643828-7
15.24	[.600]	6	3-643828-6
12.70	[.500]	5	3-643828-5
10.16	[.400]	4	3-643828-4
7.62	[.300]	3	3-643828-3
5.08	[.200]	2	3-643828-2

LEAD	LEAD	NO. OF POSN	ASSEMBLY
38.10	[1.500]	15	1-643828-5
35.56	[1.400]	14	1-643828-4
33.02	[1.300]	13	1-643828-3
30.48	[1.200]	12	1-643828-2
27.94	[1.100]	11	1-643828-1
25.40	[1.000]	10	1-643828-0
22.86	[.900]	9	-643828-9
20.32	[.800]	8	-643828-8
17.78	[.700]	7	-643828-7
15.24	[.600]	6	-643828-6
12.70	[.500]	5	-643828-5
10.16	[.400]	4	-643828-4
7.62	[.300]	3	-643828-3
5.08	[.200]	2	643828-2

DIM A NO. OF POSN ASSEMBLY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN S. HOOVER 03-DEC-2004	CHK D. BOSSI 03-DEC-2004	TE Connectivity Ltd.	
	0 PLC ±	APVD D. BOSSI 03-DEC-2004	NAME		
	1 PLC ±	PRODUCT SPEC	MTA .100 CONNECTOR ASSEMBLY		
	2 PLC ±	APPLICATION SPEC	26 AWG, UL94V-0, SPECIAL		
	3 PLC ±	114-1019	SIZE	CAGE CODE	DRAWING NO
	4 PLC ±	FINISH	A2	00779	©=643828
	ANGLES ±		RESTRICTED TO		
MATERIAL		WEIGHT	CUSTOMER DRAWING		
△	△		SCALE	SHEET	REV
			5:1	1 of 1	H2

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)