



- 1 POSITION NUMBERS SHOWN FOR REFERENCE ONLY.
- 2 MATERIAL
MOLDED PARTS: POLYESTER, UL 94V-0 RATED, BLACK.
CONTACTS: PHOSPHOR BRONZE.
BRACKET: ZINC.
BOARDLOCK: COPPER ALLOY.
- 3 FINISH
CONTACTS: EITHER 0.76µm [.000030] MIN GOLD PLATE FOR A LENGTH OF 3.35 [.132] MIN FROM MATING END OR GOLD FLASH OVER PALLADIUM NICKEL PLATE, 0.76µm [.000030] MIN TOTAL FOR A LENGTH OF 3.35 [.132] MIN FROM MATING END. 3.81µm [.000150] MIN TIN-LEAD FOR A LENGTH OF 3.23 [.127] MIN FROM OPPOSITE END, ALL OVER 1.27µm [.000050] MIN NICKEL UNDERPLATE.
BRACKET: 3.81 µm [.000150] MIN NICKEL OVER 5.08µm [.000200] MIN COPPER.
BOARDLOCK: 5.08µm [.000200] MIN TIN-LEAD OVER 1.27µm [.000050] MIN NICKEL.
- 4 ACTUAL HOLE SIZE USED WILL DEPEND ON TRACE ROUTING REQUIREMENTS BETWEEN HOLES AND CONNECTOR PLACEMENT TECHNIQUE.

OBSOLETE	TRAY	750961-2
	TUBE	750961-1
	PACKAGING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.MOLL 23 SEP 91	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK R.STONE 09 OCT 91	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
0 PLC ± -	1 PLC ± -	108-1228		
2 PLC ± 0.15[.005]	3 PLC ± -	APPLICATION SPEC		
4 PLC ± -	ANGLES ± -	114-40029		
MATERIAL	FINISH	SIZE	CAGE CODE	DRAWING NO
		A1	00779	750961
CUSTOMER DRAWING		SCALE	SHEET	REV
		4:1	1 OF 1	F

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)