





LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
1		PRELIMINARY	25 JUN 2011	AL	CW



SCALE 4.000



- NOTES:
 UNLESS OTHERWISE SPECIFIED
- MATERIAL: 6063 ALUMINUM.
 - FINISH: ELECTROLESS NICKEL, 0.76-2.54 MICROMETERS THICK
 - 0.2mm MAX BURR.
 - VARIATION IN PLATING COLOR IS NORMAL AND ALLOWED.
 - MAXIMUM PIN LEAN OF 8° IN ANY DIRECTION.
 - RoHS COMPLIANT AND CERTIFIED.

2	13.5	2170110-3
2	6.5	2170110-2
2	4.2	2170110-1
FINISH	A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AL	25 JUN 2011	 TE Connectivity
DIMENSIONS: mm		CHK DZ	25 JUN 2011	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD CW	25 JUN 2011	
0 PLC ±.25 1 PLC ±.13 2 PLC ±.051 3 PLC ±.0001 4 PLC ±.1° ANGLES		NAME	QFSP DOUBLE HEATSINK	
MATERIAL SEE NOTE	FINISH SEE NOTE	PRODUCT SPEC	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO
CUSTOMER DRAWING		WEIGHT	A100779	RESTRICTED TO
SCALE 6.000		SHEET 1 OF 1		REV

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)