




REV	DESCRIPTION	DATE	OWN	APP'D	
OBSOLETE	1 & 35	.0625	.120	3.564 3.870 35	7-582390-4
OBSOLETE		.125	.183	4.764 5.070 47	6-582390-6
OBSOLETE		.125	.183	4.164 4.470 41	6-582390-5
OBSOLETE		.125	.183	3.564 3.870 35	6-582390-4
OBSOLETE		.125	.183	2.964 3.270 29	6-582390-3
OBSOLETE		.125	.183	2.364 2.670 23	6-582390-2
OBSOLETE		.125	.183	1.764 2.070 17	6-582390-1
OBSOLETE		.0937	.152	4.764 5.070 47	5-582390-6
OBSOLETE		.0937	.152	4.164 4.470 41	5-582390-5
OBSOLETE		.0937	.152	3.564 3.870 35	5-582390-4
OBSOLETE		.0937	.152	2.964 3.270 29	5-582390-3
OBSOLETE		.0937	.152	2.364 2.670 23	5-582390-2
OBSOLETE		.0937	.152	1.764 2.070 17	5-582390-1
OBSOLETE		.0625	.120	4.764 5.070 47	4-582390-6
OBSOLETE		.0625	.120	4.164 4.470 41	4-582390-5
OBSOLETE		.0625	.120	3.564 3.870 35	4-582390-4
OBSOLETE		.0625	.120	2.964 3.270 29	4-582390-3
OBSOLETE		.0625	.120	2.364 2.670 23	4-582390-2
OBSOLETE		.0625	.120	1.764 2.070 17	4-582390-1
OBSOLETE		.125	.183	5.363 4.764 5.623 47	3-582390-6
OBSOLETE		.125	.265 .183	4.530 4.164 4.790 41	3-582390-5
OBSOLETE		.125	.265 .183	3.930 3.564 4.190 35	3-582390-4
OBSOLETE		.125	.265 .183	3.330 2.964 3.590 29	3-582390-3
OBSOLETE		.125	.265 .183	2.730 2.364 2.990 23	3-582390-2
OBSOLETE		.125	.265 .183	2.130 1.764 2.390 17	3-582390-1
OBSOLETE		.0937	.152	5.363 4.764 5.623 47	2-582390-6
OBSOLETE		.0937	.265 .152	4.530 4.164 4.790 41	2-582390-5
OBSOLETE		.0937	.265 .152	3.930 3.564 4.190 35	2-582390-4
OBSOLETE		.0937	.265 .152	3.330 2.964 3.590 29	2-582390-3
OBSOLETE		.0937	.265 .152	2.730 2.364 2.990 23	2-582390-2
OBSOLETE		.0937	.265 .152	2.130 1.764 2.390 17	2-582390-1
OBSOLETE		.0625	.120	5.363 4.764 5.623 47	1-582390-6
OBSOLETE		.0625	.265 .120	4.530 4.164 4.790 41	1-582390-5
OBSOLETE		.0625	.265 .120	3.930 3.564 4.190 35	1-582390-4
OBSOLETE		.0625	.265 .120	3.330 2.964 3.590 29	1-582390-3
OBSOLETE		.0625	.265 .120	2.730 2.364 2.990 23	1-582390-2
OBSOLETE		.0625	.265 .120	2.130 1.764 2.390 17	1-582390-1


RECOMMENDED P.C. BOARD LAYOUT

MARKING	P.C. BD. THICKNESS	E	D	C	B	A	NO. OF CONT.	PART NO.
10								

THIS DRAWING IS A CONTROLLED DOCUMENT. DWG: W. LEUFERT 26-JAN-05
CHK: J.E. WARNER 14-MAR-91
APP'D: J.E. WARNER 14-MAR-91
NAME: J.E. WARNER
PRODUCT SPEC: ASSEMBLY, AMP BLADE TAB HOUSING
APPLICATION SPEC: -
SIZE: A1
CAGE CODE: 00779
DRAWING NO: 582390
RESTRICTED TO: -
MATERIAL: -
FINISH: -
WEIGHT: -
CUSTOMER DRAWING: -
SCALE: 4:1
SHEET: 1 OF 2
REV: P



VIEW Z-Z



RECOMMENDED P.C. BOARD LAYOUT

- TAB-HOUSING ASSEMBLY MATES WITH AMP P/N 3-582151 SERIES.
 - BLADE CENTER LINE TO BE MEASURED FROM THE CENTER LINE FORMED BY THE ALIGNMENT PINS & AS LONG AS THE BLADES FALL WITHIN TOLERANCES INDICATED, THE ALLOWABLE WARPAGE IS INDEPENDENT OF THE BLADES & BECOMES A MEASUREMENT OF THE OUTSIDE SURFACE OF THE TAB-HOUSING & DOES NOT EFFECT THE MATING OF THIS TAB-HOUSING WITH 582151.
- ③ MOUNTING HOLES.
 - ④ POST TO BE SOLDER DIPPED. CONN. MUST MEET REQUIREMENTS OF AMP SPEC 109-11-1.
 - ⑤ CONTACT MATL.; GILDING METAL. GOLD OVER NICKEL.
 - ⑥ TOLERANCE NON CUMULATIVE.
 - ⑦ TAB-HOUSING MATL.; DIALLYL PHTHALATE, GLASS FILLED PER MIL-M-14, TYPE S.D.G.-F. COLOR; GREEN.
 - ⑧ CUT OUT FOR KEYING BOSS, LOCATED WHERE REQD. (OPTIONAL)
 - ⑨ FROM EDGE OF P.C. BOARD TO FACE OF TAB-HOUSING.
 - ⑩ FIRST & LAST CONTACT POSITION TO BE MARKED IN AREA SHOWN. SEE TABLE.
 - 11. FOR SUPPLEMENTAL SPECIFICATIONS SEE AMP SPEC 108-9009.
 - ⑪ MARK AMP, TE PART NO. & DATE CODE IN THIS APPROX. AREA.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN W. LEUFERT 26-JAN-05		Tyco Electronics Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: J.F. WARNER 14-MAR-91 NAME: ASSEMBLY, AMP BLADE TAB HOUSING	
0 PLC ± -		1 PLC ± -		PRODUCT SPEC	
2 PLC ± -		3 PLC ± .005 [0.13]		APPLICATION SPEC	
4 PLC ± -		ANGLES ± -		SIZE: A1 CAGE CODE: 00779 DRAWING NO: 582390	
MATERIAL: SEE NOTES		FINISH: SEE NOTES		WEIGHT: -	
		CUSTOMER DRAWING		SCALE: 4:1 SHEET 2 OF 2 REV P	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)