



DRAWING MADE IN THIRD ANGLE PROJECTION

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	P	ZONE	LTR	DESCRIPTION	DATE	APPRO
G	14				D REVISED & REDRAWN PER 0720-0303-93	8-30-93	98

REVISIONS	
DESCRIPTION	DATE
D REVISED & REDRAWN PER 0720-0303-93	8-30-93



METRIC
 DIMENSIONS LISTED IN MM [INCHES]

NOTE:
 1. WIRE INSULATION DIA
 10.54[.415] MAX

AMP INCORPORATED CUSTOMER SERVICE SYSTEMS		MAX RECOMMENDED OPERATING TEMPERATURE: 105°C		DO NOT SCALE PRINT. DIMENSIONS SPECIFIED UNLESS SPECIFIED OTHERWISE TOLERANCES ON: 2 PL DEC ± 0.20(0.008) 3 PL DEC ± 0.25(0.010) ANGLES ± 0.5°		DR 8-30-93 S.S. GOLDER		QTY 100		LOOSE PC		324659	
FOR ADDITIONAL PRODUCT INFORMATION OR COPIES OF DRAWINGS AND TECHNICAL DOCUMENTS 1-800-522-6752		PRODUCT INFORMATION CENTER		CIRCUULAR MIL AREA: 10.54-16.77mm² (20,800-39,100)		CHK 8-30-93 R. HENNEY		PACKAGE TYPE		AMP Incorporated		AMP Incorporated Harrisburg, PA 17105-3608	
FOR APPLICATION TOOLING INFORMATION 1-800-722-1111		TOOLING ASSISTANCE CENTER		STRANDED		APPD 8-30-93 M. BILIS		FINISH TIN PLATE PER MIL-T-10727		SPICE, BUTT, MULTIPLE TO MULTIPLE, TERMINAL, WIRE SIZE: 6 AWG		SIZE CAGE CODE DRAWING NO B 00779 G-324659	
FOR ORDER ENTRY 1-800-526-5142		THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP AND THE CUSTOMER. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. THIS DRAWING SHOULD BE CONTROLLED FOR THE CUSTOMER'S RECORD.		APPRO 8-30-93 M. BILIS		APPD 8-30-93 M. BILIS		APPLICATION SPEC		SCALE NTS		SHEET 1 OF 1	

AMP 1400-15 REV 3-92 10 JAN 1994 15:17:30 AMP10744 <UJ128A>DEPT1132>AMP10744>U. TERMINL-SP LICE-CUST CUSTOMER DRAWING

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)