





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	A	INITIAL RELEASE	07JUL2015	MY GG



- ASSEMBLY TO BE 100% TESTED FOR CONTINUITY, SHORTS, AND OPENS, CABLES ASSEMBLYS ARE ALSO TO BE 100% TESTED FOR SIGNAL INTEGRITY, TO SAS 3.0 REQUIREMENTS.
- ROHS AND REACH COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE SPECIFICATION TEC-138-702.

3 LABEL CENTERED AND LABEL INFORMATION AS BELOW:

	2820334-[ ]	TE LOGO AND P/N
	METERS	LENGTH
MADE IN		COUNTRY OF ORIGIN
YYWWSSSS		YYWW IS DATE CODE, SSSS IS SERIAL
		BAR FOR YYWWSSSS


4. SEE SHEET #2 FOR WIRING SCHEMATIC.

1000	+25 -0	2820334-4
700	+25 -0	2820334-3
500	+25 -0	2820334-2
300	+25 -0	2820334-1
"L"[MM]		TE P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	16/JUN/2014	TE Connectivity
		M.YI		
		CHK	16/JUN/2014	
		G.GUTGOLD		
		APVD	16/JUN/2014	NAME
		G.GUTGOLD		C/A, INTERNAL HD MINI SAS, STR TO STR
		PRODUCT SPEC		85 OHMS, 4X, HALOGENATED
		APPLICATION SPEC		
		WEIGHT		SIZE
				CAGE CODE
				DRAWING NO
				RESTRICTED TO
				A2 00779 C=2820334
				SCALE
				N.T.S.
				SHEET
				1 OF 2
				REV
				A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
GP	00	-	SEE SHEET 1	-	-	-	-



# WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M.YI	16/JUN/2014		TE Connectivity		
DIMENSIONS: mm		CHK	G.GUTGOLD	16/JUN/2014		NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	G.GUTGOLD	16/JUN/2014		C/A, INTERNAL HD MINI SAS, STR TO STR		
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC	85 OHMS, 4X, HALOGENATED					
MATERIAL		FINISH	WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
-		-	-		A2	00779	C=2820334	-
CUSTOMER DRAWING					SCALE	N.T.S.	SHEET	2 OF 2
					REV	A		

2820334

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)