



- ① HOUSING MATERIAL: LIQUID CRYSTAL POLYMER
COLOR: NATURAL.
- ② CONTACT MATERIAL: PHOSPHOR-BRONZE.
- ③ CONTACT FINISH:
UNDERPLATE (ENTIRE CONTACT) -
0.00127 MIN NICKEL PER SAE-AMS-QQ-N-290.
ON MATING SURFACES-
CONFORMS TO ALL TESTING SPECIFIED FOR TELCORDIA
UNCONTROLLED ENVIRONMENT
ON LEADS-
0.00381 MIN TIN PER ASTM B 545, OVER UNDERPLATE
LUBRICATION (MIN MATING SURFACES)
SURFACE CONDITIONER PER AMP SPEC. 112-1002 AFTER PLATING.
- ④ PART MARKING, LOCATED APPROXIMATELY AS SHOWN.
- ⑤ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- ⑥ TE OR TE CONNECTIVITY LOGO IS LOCATED.

NO	34	17	35.88	③	72	1-5536507-1
NO	130	65	131.88	③ ③	264	①-5536507-0
NO	106	53	107.88	③	216	①-5536507-9
NO	118	59	119.88	③ ③	240	①-5536507-8
NO	70	35	71.88	③	144	5536507-7
NO	58	29	59.88	③ ③	120	5536507-6
NO	82	41	83.88	③	168	5536507-5
NO	94	47	95.88	③ ③	192	5536507-4
NO	46	23	47.88	③	96	5536507-3
NO	22	11	23.88	③ ③	48	5536507-2
YES	10	5	11.88	③	24	5536507-1
POSITIONING PEGS	C	B	A	FINISH	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DIN R. MCMASTER 30AUG04	STE TE Connectivity
0 PLC ± -	1 PLC ± -	2 PLC ± -	3 PLC ± -
4 PLC ± -	ANGLES ± -	APVD R. WERTZ 30AUG04	NAME RECEPTACLE ASSEMBLY, SIGNAL MODULE, Z-PACK, 2mm FB, 4 ROW, 2.73mm LEAD LENGTH
MATERIAL ① ②	FINISH ③	SIZE A1	SCALE 4:1 SHEET 1 OF 1 REV R

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)