



RECOMMENDED MOUNTING HOLE PATTERN FOR 1.57 THICK P.C. BOARD

- PINS TO COMPLY WITH AMP SOLDERABILITY SPEC. 109-11-3.
- 0.00381 MIN MATTE TIN LEAD PLATE OVER 0.00127 MIN NICKEL.
- 0.00076 MIN GOLD PLATE IN THE LOCALIZED PLATE AREA, 0.00381 MATTE TIN LEAD IN THE LOCALIZED PLATE AREA, BOTH OVER 0.00127 MIN NICKEL.
- 0.00381 MIN MATTE TIN PLATE OVER 0.00127 MIN NICKEL.
- 0.00076 MIN GOLD PLATE IN THE LOCALIZED PLATE AREA, 0.00381 MATTE TIN IN THE LOCALIZED PLATE AREA, BOTH OVER 0.00127 MIN NICKEL.

|                                 |                            |             |
|---------------------------------|----------------------------|-------------|
| BRASS, GOLD                     | NYLON, 94V-0, WHITE        | 1-794073-1  |
| BRASS, TIN                      | NYLON, 94V-0, WHITE        | 1-794073-0  |
| BRASS, GOLD                     | NYLON, 94V-0, WHITE        | 794073-2    |
| BRASS, TIN LEAD                 | NYLON, 94V-0, WHITE        | 794073-1    |
| PIN CONTACT MATERIAL AND FINISH | HOUSING MATERIAL AND COLOR | PART NUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

|                    |  |                        |                      |                 |
|--------------------|--|------------------------|----------------------|-----------------|
| DIMENSIONS: mm     | TOLERANCES UNLESS OTHERWISE SPECIFIED: | DIN K WHITAKER 6-12-95 | APVD R SWING 6-12-95 | NAME            |
| 0. PLC ± -         | 1. PLC ± -                             | 2. PLC ± 0.13          | 3. PLC ± -           | 4. PLC ± -      |
| ANGLES ± -         |  |                        |                      |                 |
| MATERIAL SEE TABLE | FINISH SEE TABLE                       | WEIGHT -               | SIZE A1              | CAGE CODE 00779 |
| CUSTOMER DRAWING   |  | SCALE 8:1              | SHEET 1 OF 1         | REV D           |

**STE** TE Connectivity

HEADER ASSEMBLY, CLOSED BOTTOM, 8 CIRCUIT, DOUBLE ROW VERTICAL, MINI-UNIVERSAL MATE-N-LOK

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)