


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.



REVISIONS  
 変更

P	LTR	DESCRIPTION	DATE	DWN	APVD
	D1	REVISED PER ECR-17-017423	29NOV2017	T.S	E.I





22POS(X-KEY)  
 : 2-2013325-1  
 2-2069573-1  
 2-2069574-1

△2 △3  
 CONTACT TAB



RECOMMEND PC BOARD HOLE PATTERN  
 : CONNECTOR MOUNT SIDE  
 (NOT ACCUMULATE TOLERANCE)  
 PC BOARD THICKNESS : 1.0~1.6±0.1



△2 △4  
 CONTACT TAIL

△2 △4  
 RETENTION LEG

n	A	B	C	KEY	POS.	COLOR	PART NO
10	35.0	42.3	44.3	X	22	YELLOW	2-2069574-1
						NATURAL	2-2069573-1
						BLACK	2-2013325-1
5	17.5	24.8	26.8	X	12	YELLOW	1-2069574-6
						NATURAL	1-2069573-6
						BLACK	1-2013325-6
3	10.5	17.8	20.2	X	8	YELLOW	1-2069574-4
						BLACK	1-2013325-4

- △1. MATERIAL: HOUSING: 66 NYLON GLASS FILLED (UL94V-0)  
 CONTACT: COPPER ALLOY  
 RETENTION LEG: PRE-TIN COPPER ALLOY
- △2. FINISH (ALL OVER): NICKEL PLATING 1.27µmMIN
- △3. FINISH (CONTACT AREA): GOLD PLATING 0.38µmMIN AFTER △2
- △4. FINISH (CONTACT TAIL): TIN PLATING 2µmMIN AFTER △2
- 5. THE SHAPE, SIZE AND POSITION OF THE CHARACTER SHOW THE OUTLINE. THEY DON'T SHOW DETAILS.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 耗 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 ±0.3, ±5° 0-PLC ± 1-PLC ±0.5 2-PLC ±0.13 3-PLC ±0.013 4-PLC ±0.0001 ANGLES ±
MATERIAL 材料	FINISH 仕上

DWN M. MAEBASHI 09MAY2008	CHK T. KUDO 09MAY2008	APVD S. MANABE 09MAY2008
PRODUCT SPEC 108-78336		
APPLICATION SPEC 取付適用規格		
WEIGHT		
CUSTOMER DRAWING		

**TE** TE Connectivity

NAME  
 名称 DYNAMIC D1900D 3.5mm PITCH  
 HDR ASSY (V-TYPE)

SIZE A3	CAGE CODE 00779	DRAWING NO C-2013325	RESTRICTED TO
------------	--------------------	-------------------------	---------------

SCALE 4:1 SHEET 1 OF 2 REV D1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


20

© COPYRIGHT 20 BY -


ALL RIGHTS RESERVED.

REVISIONS





P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



12POS(X-KEY) : 1-2013325-6  
 1-2069573-6  
 1-2069574-6



8POS(X-KEY) : 1-2013325-4  
 1-2069574-4



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

- 0 PLC ±-
- 1 PLC ±0.5
- 2 PLC ±0.13
- 3 PLC ±0.013
- 4 PLC ±0.0001
- ANGLES ±-

MATERIAL

FINISH

DWN 09MAY2008

M. MAEBASHI

CHK 09MAY2008

T. KUDO

APVD 09MAY2008

S. MANABE

PRODUCT SPEC  
108-78336

APPLICATION SPEC

WEIGHT

-



TE Connectivity

NAME  
DYNAMIC D1900D 3.5mm PITCH  
HDR ASSY (V-TYPE)

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 00779 C-2013325

CUSTOMER DRAWING

SCALE 4:1

SHEET 2 OF 2

REV D1

SEE SHEET 1 OF 2

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)